Public Works (1914) Department.

G.O. No. 310 I

DATED 30.6.1914.

The Notes
in this G.O. have been printed.

[Despatch Abstract.]

Minor works, P.W.D., Madura Dt.

approving the list & map of — as finally revised and submitted by the Chief Engineer for Irrigation

P. W. 9.
2,000—2-10-12.

Indexed.
T.S. 2/7

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

FURTHER PAPERS

G.O.	No.	Department.	Date.	G.O.	No.		

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

Irrigation.

READ—the following papers :—

I

Cir. Memo. No. 36 G., dated 3rd October 1894.

ABSTRACT.—Forwarding to the Superintending Engineers lists and maps of irrigation works, Public Works Department, for correction and early return.

II

From the Superintending Engineer, VI Circle, dated 27th January 1896, No. 137 T.C.

III

To the Superintending Engineer,	VI	Circle, dated	25th January 1901, No. 2 M.D.
To the ,,	VI	,, ,,	27th June 1901, No. 34 M.D.
To the ,,	VI	,, ,,	14th November 1901, No. 68 M.D.
To the ,,	VI	,, ,,	26th May 1902, No. 54 M.D.
From the ,,	VI	,, ,,	3rd January 1905, No. 1 C.E.
From the ,,	VI	,, ,,	9th March 1905, No. 189 C.E.
To the ,,	VI	,, ,,	23rd June ,, ,, 1963.
From the ,,	VI	,, ,,	30th March 1906, No. 210 C.E.
From the ,,	VI	,, ,,	6th July 1907, No. 372 C.E.

IV

Memorandum No. 4992, dated 12th December 1907.

With reference to the correspondence ending with his No. 372 C.E., dated 6th July 1907, of the Superintending Engineer, VI Circle, the undersigned has the honour to observe that of the three tanks proposed for transfer to Public Works Department in his No. 189 C.E., dated 9th March 1905, the transfer of two only, viz., Ponnamangalam Sinna Kanmoy and Anuppanadi Kanmoy which have been shown in the revised list, is approved. With regard to the remaining work, it appears from the sketch map that accompanied the letter No. 210 C.E., dated 30th March 1906, that it is the same as Sirukulam tank transferred to Public Works Department in G.O. No. 52 I., dated 16th January 1891. The Superintending Engineer is therefore requested to report on this point.

2. *Manthaikulam anicut No. 36 in the revised list.*—The position of this work said to be about three miles north of Vadamadurai station is not traceable on the map of Dindigul minor basin, Volume I, but there is one of the same name on the Varattaur at about six miles west of Vadamadurai station, longitude 78–4–0, latitude 10–28–0. There is also another anicut shown at the head of Uttalamkulam supply channel—*vide* No. 37 on page 45 of the descriptive memoir of Dindigul minor basin. It is therefore requested that a sketch map showing clearly the position of the Manthaikulam anicut may be submitted.

3. *Velvarkottai Periyakulam anicut No.* 40 *in the revised list.*—The descriptive memoir of the Dindigul minor basin, Volume I, does not indicate that there is an anicut across the Kallaur bearing this name. The Superintending Engineer is requested to report whether an anicut across the stream is now in existence and if so to report the date of its construction.

4. With regard to his statement in his letter No. 210 C.E., dated 30th March 1906, that except Thenkarai channel and the tank, the anicut channels and the tanks fed by them in Suruliyar valley in Periyakulam taluk cannot be classed as Periyar affected as their revenue is not charged to the project, it is observed from the irrigation accounts that the irrigation in the villages shown in the appended statement has been treated as Periyar affected and charged for accordingly in 1906–1907. The Superintending Engineer is requested to be so good as to report in consultation with the Collector of Madura the names of the anicut, channels and the tanks fed by them which should be treated as Periyar affected in the Suruliyar valley in Periyakulam taluk.

In order that the Periyar system may not be unduly saddled with extra expense on account of these old works, the average revenue due to the Periyar works for the last five years and the working expenses should be reported.

On receipt of the information called for above the revised list and map of minor works, Public Works Department, Madura district, will be placed before Government for sanction.

H. E. CLERK,
Ag. Chief Engineer for Irrigation.

To the Superintending Engineer, VI Circle.

V

Memorandum No. 193, dated 11th January 1908.

In connection with the revision of the list and map of Minor works, Public Works Department, class IV (*a*) Madura district, the Superintending Engineer, VI Circle, was asked to report whether the Thenkarai and Nilayur channels taking off the Vaigai below Peranai and the anicuts across the Suruliyar with the connected channels and tanks in Periyakulam taluk, were to be classed as Periyar affected and eliminated from the list of class IV (*a*) Works. In reply that officer reported that only the Thenkarai channel and the tank fed by it might be classed as Periyar affected and eliminated from class IV (*a*) as their revenue was credited to the project, while the anicuts across the Suruliyar and the channels and tanks connected with them should not be eliminated from class IV (*a*) as their revenue was not credited to the Project. It has been ascertained from the Board's office that the lands in the villages in Periyakulam taluk in Suruliyar valley shown in the appended statement have been classed as Periyar affected ever since the project came into operation, *i.e.*, from 1895–1896. No orders directing the formal transfer to the project of these lands and the works irrigating them are traceable in this office except G.O. No. 3552, Mis., Revenue, dated 4th September 1896, which directs that such of the lands as are fed by the anicuts across the Suruliyar and the channels, etc., connected therewith should be assessed at an enhanced rate. The undersigned has therefore the honour to request that the Board of Revenue will be so good as to furnish this office with copies of the orders directing the formal transfer to the Periyar system of the lands and the anicuts across the Suruliyar in Periyakulam taluk.

H. E. CLERK,
Ag. Chief Engineer for Irrigation.

To the Board of Revenue (R.S., Sur., L. Rds. and Agri.),
with one statement.

ENCLOSURE.

Statement of villages in Periakulam taluk classed as Periyar affected.

Melagudalur.	Anumandapatti.	Seleyampatti.
Kelagudalur.	Margiankottai.	Kottur.
Cumbum (Kumbum).	Uttampalayam.	Kuchanur (Kujjanur).
Naranadevampatti.	Gokulapuram.	Kulayanur.
Kamayagoundenpatti.	Karunkattankulam.	Upparapatti.
Uttamapuram.	Chinnammanur.	Virappandi.
Pudupatti.	Pulanandapuram.	

VI

Proceedings of the Board of Revenue (R.S., Sur., L. Rds. and Agri.), Mis. No. 720, dated 11th February 1908.

The Hon'ble Mr. J. N. ATKINSON, C.S.I.

Read—the following papers :—

(i)

Memorandum—from the Chief Engineer for Irrigation.
Dated—the 11th January 1908.
No.—193.

(ii)

Reference—from the Board of Revenue (Revenue Settlement, Survey, Land Records and Agriculture).
Dated—the 23rd January 1908.
No.—195.

(iii)

Letter—from the Collector of Madura.
To—the Secretary to the Commissioner of Revenue Settlement, Survey, Land Records and Agriculture.
Dated—the 31st January 1908.
No.—D. Dis. 386.

Adverting to the Board's Reference No. 195, dated 23rd January 1908, I have the honour to report that the mamul wet lands in the second group under the anicuts above the Peranai were raised to the first group with reference to G.O. No. 3552, Mis., dated 4th September 1896, and the increased revenue derived therefrom was included in the revenue accounts of the Periyar project, with reference to Board's Proceedings No. 2578, Mis., dated 6th April 1897.

Resolution—Mis. No. 720, dated 11th February 1908.

With reference to the concluding sentence of his memorandum read above, the Chief Engineer for Irrigation is informed that the lands in the Suruliyar valley referred to by him were classed as Periyar affected on the representation made by him in paragraphs 3 and 4 of his letter No. 58 M., dated 11th February 1897.

(True Extract.)

L. D. SWAMIKANNU,
Secretary.

To the Chief Engineer for Irrigation.

VII

To the Superintending Engineer, VI Circle, dated 24th May 1912, R.O.C. No. 1870/1910.

VIII

Letter—from S. B. MURRAY, Esq., Superintending Engineer, VI Circle.
To—the Chief Engineer for Irrigation.
Dated—Trichinopoly, the 13th January 1914.
No.—63 C.E./485 (*b*).

I have the honour to invite your attention to your Memorandum No. 4992, dated 12th December 1907. This memorandum, simple as it appears, has caused a very long and involved correspondence between my office and that of the Executive Engineer, Madura division. In this correspondence points which are not found in your memorandum have been raised and laboured over, and the real ones lost sight of. With a view to getting the matter finally settled, I shall be much obliged if you will let me know if you still wish replies to paragraphs 1, 2 and 3 of your memorandum.

2. In reply to paragraph 4, I send herewith a list and map of anicut channels, and tanks fed by them, which are in the charge of Public Works Department which obtain their supply from the Suruliyar river, and which are benefited by the flow of Periyar water down the river. For all these works the water regulation and control is in the charge of the Revenue Department and the Collector of Madura is averse to their transfer to the Public Works Department—see his letter No. 2302, dated 26th July 1913, copy attached. This list does not include minor works in charge of the Revenue Department, except numbers 3-A, 3-B and 3-C, which are now minor works, but which the Executive Engineer has proposed for transfer to Public Works Department charge.

3. In the second part of paragraph 4 of your memorandum, you ask for certain revenue and expenditure particulars. It was this which has caused all the delay. As the channels and tanks are not in our control, it is almost impossible to get this information. I request that you will let me know if you still require it.

ENCLOSURE.

Letter—from the Collector of Madura.
To—the Executive Engineer, Madura Division.
Dated—the 26th July 1913.
No.—D. Dis. 2302-Rev.

With reference to your communication No. 78-M., dated 11th January 1913, I have the honour to forward herewith the statement received from the Tahsildar of Periyakulam showing the ayacut and the revenue particulars of the irrigation works under the Suruliyar before and after the advent of the Periyar and to state that I am aware of no water complaints in the Suruli tract. If the head sluices are under the control of the Public Works Department, that seems to give all the protection to Periyar supply that is required. The ryots object to the proposed transfer of the control of the regulation of water to the Public Works Department and I am not convinced that any change in the present system is called for. The tracing and the list received from you are herewith returned.

IX

To the Superintending Engineer,	VI	Circle, dated	7th February 1914,	No.	2039/13-1.
From the ,,	VI	,, ,,	3rd March 1914,	No.	333 C.E.
To the ,,	VI	,, ,,	9th March 1914,	No.	1282/14-1.
From the ,,	VI	,, ,,	10th March 1914,	No.	366 C.E.
To the ,,	VI	,, ,,	25th ,,	,,	1282/14-12.
From the ,,	VI	,, ,,	28th ,,	,,	465 C.E.
From the ,,	VI	,, ,,	2nd April 1914	,,	503 C.E.
From the ,,	VI	,, ,,	18th ,,	,,	604 C.E.

X

Note by the Chief Engineer for Irrigation, No. 2039/13, dated 15th June 1914.

In accordance with Circular Memorandum No. 36-G., dated 3rd October 1894, the Superintending Engineer, VI Circle, submitted a revised list and map of Minor works, Public Works Department, Madura district. In his No. 189 C.E., dated 9th March 1905, the Superintending Engineer proposed the transfer of the marginally-noted three tanks to the Public Works Department with reference to the memorandum of this office No. 1341, dated 16th April 1904, printed in G.O. No. 1362 I., dated 8th December 1904. As there were a few discrepancies between the list and the map and as it appeared also that some of the Periyar affected works had been included in them, the Superintending Engineer was asked to revise and resubmit the list and map including the three tanks referred to above, and to report whether the Tenkarai and Nilayur channels and the tanks fed by them and the Periyar affected channels and the tanks connected with them in the Periyakulam taluk, whose revenue it was thought was credited to the Periyar system, should not be eliminated from the list and map. The Superintending Engineer, in reply, reported that except the Thenkarai channel and the tank fed by it, the other channels referred to could not be classed as Periyar affected, as their revenue was not credited to the system, and he resubmitted the list and map duly revised including the three tanks mentioned above and omitting the Thenkarai channel and Thenkarai tank.

(1) Ponnamangalam Sinna Kanmoy.
(2) Sirukulam Ottukulam.
(3) Anuppanadi Kanmoy.

2. It was subsequently ascertained from the Board of Revenue that the Thenkarai channel and the tank fed by it and the channels and tanks fed by the Suruliyar in Periyakulam taluk had been classed as Periyar affected and the increased revenue derived therefrom was credited to the Periyar system with reference to the letter of the Chief Engineer for Irrigation No. 58-M., dated 11th February 1897. The Superintending Engineer was then asked to submit in consultation with the Collector of the district a list of all the channels and the tanks fed by them in the Suruliyar valley in Periyakulam taluk which should be classed as Periyar affected. He now submits a list of the channels and tanks in Periyakulam taluk which are benefited by the flow of Periyar water in the Suruliyar.

3. The list and map have been checked and the following remarks are made :—

(1) *No. 67 Sirukulam tank in Periyakulam taluk.*—The Superintending Engineer reports that this is the same tank as that whose transfer to the Public Works Department was sanctioned in G.O. No 52 I., dated 16th February 1891. The tank has been included in the list as No. 67 Sirukulam tank and no action is therefore necessary.

(2) It is reported that the Manthaikulam anicut in Dindigul taluk (No. 36 in the list) is the anicut across the Varattar 1¾ mile north of Vadamadurai Station. As this anicut as described on pages 42 and 43 of Dindigul minor basin Descriptive Memoirs has an ayacut of only 13 acres, it appears probable that the work intended to be included in the list and map of Minor works, Public Works Department, is the Manthaikulam tank described on page 40 of the Descriptive Memoirs of Dindigul minor basin as having an ayacut of 183 acres and not the "Manthaikulam anicut" which has an ayacut of only 13 acres. The Superintending Engineer will be asked to report on this point. Pending his report, the anicut may be eliminated from the list and map.

(3) *Velvarkottai Periyakulam anicut.*—It is reported that there is no anicut, but only a mud koramboo across the Kallaur. The word "anicut" may be struck out and the work retained in the list as Velvarkottai Periyakulam tank.

4. The list and map contain 176 works including the Manthaikulam anicut referred to above and the 25 works in Periyakulam taluk reported by the Superintending Engineer to have been benefited by the Periyar system as shown in the appended

PUBLIC WORKS DEPARTMENT
(IRRIGATION BRANCH).

NOTES CONNECTED WITH G.O. No. 310 I., DATED 30TH JUNE 1914.

[SUBJECT.—*Revised list and map of minor works, Public Works Department, Madura district.*]

PUBLIC WORKS DEPARTMENT.

Note by the Chief Engineer for Irrigation, dated 15th June 1914, No. 2039/13.

Under Secretary—

A draft order approving the list and map is submitted for approval and transmission to Revenue Department u.o. for acceptance or remarks before issue.

N.L.R.—11-6-14.

R.S.—11-6-14.

F. E. MORGAN—15-6-14.

To the Revenue Department u.o.

REVENUE DEPARTMENT.

Under Secretary—

The draft order may, it is submitted, be accepted in this department.

S.A.K.—20-6-14.

R.S.—20-6-14.

H. A. WATSON—23-6-14.

To Public Works Department (Irrigation) u.o.

PUBLIC WORKS DEPARTMENT
(IRRIGATION BRANCH).

Under Secretary—
Joint Secretary—

The draft order may now issue. It does not seem necessary to circulate it to Honourable Member and it need not be placed on Editors' Table.

A.V.S.—24-6-14.

F.E.M.—25-6-14.

Issue.

W. J. J. HOWLEY—25-6-14.

[Issued as G.O. No. 310 I., dated 30th June 1914.]

PUBLIC WORKS DEPARTMENT
(IRRIGATION BRANCH).

NOTES CONNECTED WITH G.O. No. 310 I., DATED 30TH JUNE 1914.

[SUBJECT.—*Revised list and map of minor works, Public Works Department, Madura district.*]

PUBLIC WORKS DEPARTMENT.

Note by the Chief Engineer for Irrigation, dated 15th June 1914, No. 2039/13.

Under Secretary—

A draft order approving the list and map is submitted for approval and transmission to Revenue Department u.o. for acceptance or remarks before issue.

N.L.R.—11-6-14.

R.S.—11-6-14.

F. E. MORGAN—15-6-14.

To the Revenue Department u.o.

REVENUE DEPARTMENT.

Under Secretary—

The draft order may, it is submitted, be accepted in this department.

S.A.K.—20-6-14.

R.S.—20-6-14.

H. A. WATSON—23-6-14.

To Public Works Department (Irrigation) u.o.

PUBLIC WORKS DEPARTMENT
(IRRIGATION BRANCH).

Under Secretary—
Joint Secretary—

The draft order may now issue. It does not seem necessary to circulate it to Honourable Member and it need not be placed on Editors' Table.

A.V.S.—24-6-14.

F.E.M.—25-6-14.

Issue.

W. J. J. HOWLEY—25-6-14.

[Issued as G.O. No. 310 I., dated 30th June 1914.]

PUBLIC WORKS DEPARTMENT
(IRRIGATION BRANCH).

NOTES CONNECTED WITH G.O. No. 310 I., DATED 30TH JUNE 1914.

[SUBJECT.—*Revised list and map of minor works, Public Works Department, Madura district.*]

PUBLIC WORKS DEPARTMENT.

Note by the Chief Engineer for Irrigation, dated 15th June 1914, No. 2039/13.

Under Secretary—

A draft order approving the list and map is submitted for approval and transmission to Revenue Department u.o. for acceptance or remarks before issue.

N.L.R.—11-6-14.

R.S.—11-6-14.

F. E. MORGAN—15-6-14.

To the Revenue Department u.o.

REVENUE DEPARTMENT.

Under Secretary—

The draft order may, it is submitted, be accepted in this department.

S.A.K.—20-6-14.

R.S.—20-6-14.

H. A. WATSON—23-6-14.

To Public Works Department (Irrigation) u.o.

PUBLIC WORKS DEPARTMENT
(IRRIGATION BRANCH).

Under Secretary—
Joint Secretary—

The draft order may now issue. It does not seem necessary to circulate it to Honourable Member and it need not be placed on Editors' Table.

A.V.S.—24-6-14.

F.E.M.—25-6-14.

Issue.

W. J. J. HOWLEY—25-6-14.

[Issued as G.O. No. 310 I., dated 30th June 1914.]

PUBLIC WORKS DEPARTMENT
(IRRIGATION BRANCH).

NOTES CONNECTED WITH G.O. No. 310 I., DATED 30TH JUNE 1914.

[SUBJECT.—*Revised list and map of minor works, Public Works Department, Madura district.*]

PUBLIC WORKS DEPARTMENT.

Note by the Chief Engineer for Irrigation, dated 15th June 1914, No. 2039/13.

Under Secretary—

A draft order approving the list and map is submitted for approval and transmission to Revenue Department u.o. for acceptance or remarks before issue.

N.L.R.—11-6-14.

R.S.—11-6-14.

F. E. MORGAN—15-6-14.

To the Revenue Department u.o.

REVENUE DEPARTMENT.

Under Secretary—

The draft order may, it is submitted, be accepted in this department.

S.A.K.—20-6-14.

R.S.—20-6-14.

H. A. WATSON—23-6-14.

To Public Works Department (Irrigation) u.o.

PUBLIC WORKS DEPARTMENT
(IRRIGATION BRANCH).

Under Secretary—
Joint Secretary—

The draft order may now issue. It does not seem necessary to circulate it to Honourable Member and it need not be placed on Editors' Table.

A.V.S.—24-6-14.

F.E.M.—25-6-14.

Issue.

W. J. J. HOWLEY—25-6-14.

[Issued as G.O. No. 310 I., dated 30th June 1914.]

6 29

Public Works (190/) Department.

IRRIGATION BRANCH.

ISSUE No. 2 47/M.D.

To

The Supg Engineer b'ar

(Reply to letter No. , dated)

1st reminder sent on 26-3-01.
2nd reminder sent on 9-5-01

* Portion of despatched mail from Coty - 6
9/5/01.

Dated 25.1.01.

Despatched — do —

Enclosures * 6

* Particulars of Enclosures.

SCI

Please return the file after it is indexed

13/5/01

SUBJECT.

List and map of minor Irrigation P.W.D and tanks affecting Railways in the Madura Dt. - Forwarded the — for resubmission to this as early as possible, duly revised with explanation of the cause of the differences pointed out

To be indexed

Indexed

E. I. Form No. 13—4,000—29-6-08.

BACK PAPERS.

No.	Date.

Sent to Government with No. I.,

dated 190 .

Printed, with G.O., No. I.,

dated 190 .

REMINDERS ISSUED.

No. 1, dated 2.6-3 1901.

" 2 " 9-8-01

" 3 " 3-9-01

" 4 "

" 5 "

KEEP-WITHS.

FURTHER PAPERS.

No.	Date.

Madura District

Minor works. P.W.D.						Tanks affecting railways									
as per administration report for 1899-1900			as per list received from the S.E.			as per administration report for 1899-1900					as per list received from S.E.				
Tanks	Chls	Total	Tanks	Chl.	Total	[illegible]	Rev.	Zamin	Private	Total	[illegible]	Rev.	Zamin	Private	Total
172	47	219	167	47	214	55	231	23	75	384	55	229	96		380

No 2/M.D. of 25

Memo

The figures indicating the number of Minor Works P.W.D. and tanks affecting railways in Madura District, given in the S. E's administration report for 1899-1900, as shown in the margin do not agree with those noted in the lists received with his Nos 137 TC, dated 27 January 1896 and 1115 M.D, dated 28th January 1893 ~~as is shown in the margin~~.

2. As the revised list & map of Minor works P.W.D and tanks affecting railways, Madura District, are under preparation, it is requested

Reg. 374 of

x not put up being connected with Rail... affecting tanks

Enclosures.

Cloth map of the Minor works. P.W.D. Madura Dt
List - do - do - do
Maps of the tanks affecting Railways - do
List - - - - do - - - do - do
~~from of the revised list of minor works~~
~~P.W.D. tanks affecting railways.~~

requested that the lists
and maps herewith
forwarded may be
retransmitted to this
office as early as possible
duly revised with
explanation of the
~~consonance with the~~
cause of the difference
~~figures in the administration~~
pointed out.
~~report for 1899-1900.~~

3. It should be
noted that the works
affected by the Periyar
water should be
shown separately under
each channel.

Orin 25/1/01

To. The Superintending Engineer

Public Works (1901) Department.

IRRIGATION BRANCH.

ISSUE No. 34 M.D. VI

To

The Supg Engineer Garclo

(Reply to letter No. , dated)

Dated 27-6-01.

Despatched 1-7-01.

Enclosures *

* Particulars of Enclosures.

SUBJECT.

List and map of minor works P.W.D. and tanks affecting Railways in the Madura Dt. Inviting S.E's attention to the references noted within and requesting to expedite the despatch of the — referred to therein.

Indexed

E. I. Form No. 13—4,000—29-6-00.

BACK PAPERS.

No.	Date.

Sent to Government with No. I.,

dated 190 .

Printed with G.O., No. I.,

dated 190 .

REMINDERS ISSUED.

No. 1, dated 190 .

" 2 "

" 3 "

" 4 "

" 5 "

KEEP-WITHS.

FURTHER PAPERS.

No.	Date.

Papers

12 MD/07

R3-VI/96

R6 MD/~~86~~ 93

G.O. 258 Jdy 23-3-93 with the orgl.

No 34 MD of 27-6

Memo

The undersigned has the honour to invite the attention of the S. E. VII Circle to the marginally noted references and to request that he will be so good as to expedite the despatch of the lists & maps referred to therein.

[illegible] 27/6/01

MH 27.6.01

E's No 2 MD 25-1-1901

Reminder ~~[illegible]~~ dated 26th March 1901

Reminder – 9th May 1901.

Reminded from the file

To
The Superintending Engineer
VII Circle

[illegible] 1601

Public Works (190) Department

The undersigned h[illegible] the honour to invite attention of the S.E. [illegible] Circle to the marginally noted reference and to request that he [illegible] be so good as to expedite the despatch of the list [illegible] referred to therein.

C.E. No. 2 [illegible]
25-1-1901
Reminder three dated 26th Mar. 1901
Reminder – 9th May 1901

Superintending Engineer
[illegible] Circle

Public Works (1901) Department.

IRRIGATION BRANCH.

ISSUE No. 63 M.B.

To

The Supg Engineer C. Circle

(Reply to letter No. , dated)

Dated 14. 11. 01.

Despatched 14. 11. 01.

Enclosures *

* Particulars of Enclosures.

SUBJECT.

List and map of minor works, Railway P.W.D. and tanks affecting [illegible] in the Madura Dt. - Invites Sc's attention to certain references noted within and requests to report the date on which the items called for may be expected in this office

E. I. Form No. 13—4,000—29-6-00.

BACK PAPERS.

No.	Date.

Sent to Government with No. I.,

dated 190 .

Printed with G.O., No. I.,

dated 190 .

REMINDERS ISSUED.

No. 1, dated- 190 .

" 2 "

" 3 "

" 4 "

" 5 "

KEEP-WITHS.

FURTHER PAPERS.

No.	Date.

No 63 MD of 14-11

Memo

The undersigned has the honour to invite the attention of the S. E. II Circle to the marginally noted references and to request that he will be good enough to report the date on which the lists and maps therein called for, may be expected in this office

Eto I No 2 MD / 25-1-1901

First Reminder dated 26-3-1901

Second do. 9-5-1901

Eto Memo No 34 MD / 27-6-01

Reminder dated 4-9-1901

x Removed from the file.

Page 10 of file

14/11/01

To
The Superintending Engineer
II Circle

13/11/01

13/11/01

Memo

The undersigned has the honour to invite the attention of the ... [illegible] to the marginal noted references and to request that he will be good enough to report the date on which the tents and Maps therein called for may be expected in this office.

No. ... dated 25-1-1901

First Reminder dated 26-3-1901

Second do. 9-5-1901

Memo No. ... dated 27-6-01

Reminder dated 4-9-01

Superintending Engineer

[illegible]

Memo

The undersigned has the honour to invite the attention of the I. W. Jude to the marginally noted references and to request that he will be good enough to report the date on which the [illegible] and Maps therein called for, may be expected in this office.

No. 1 M/2 MD
25-1-1901

First Reminder dated 26-3-1901

Second do. 9-5-1901

Memo No. 3A MD
27-6-01

Reminder dated 4-9-01

Superintending Engineer
W. Jude

Public Works (1902) Department

IRRIGATION BRANCH.

ISSUE No. VI/57 MD

To

The Supg Engr VI Circle

(Reply to letter No. , dated)

Dated 26 May 1902

Despatched 28 — do —

Enclosures *

* Particulars of Enclosures.

SUBJECT.

List and map of drains in other PWD and tanks affecting Ryp works

On Requesting to expedite the submission of the —

I. Form No. 13—4,000—19-8-02.

BACK PAPERS.

No.	Date.

Sent to Government with No. I.,

dated 190 .

Printed with G.O., No. I.,

dated 190 .

REMINDERS ISSUED.

No.	1,	dated	190 .
,,	2	,,	
,,	3	,,	
,,	4	,,	
,,	5	,,	

KEEP-WITHS.

FURTHER PAPERS.

No.	Date.

14

Memo VI/57 M.D.

The undersigned has the honour to invite the attention of the Superintending Engineer VI Circle to the marginally noted reference and to request that the submission of the lists and maps therein called for may be expedited.

The preparation of the revised list and map of Minor Works P.W.D. and tanks affecting railways Madura District is being delayed for want of them.

No. 2 M.D. 25-1-1901
First Reminder dated 26-3-1901
Second - do - 9-5-1901
Memo No. 34 M.D. dated 27-6-01
Reminder dated 4-9-01
Memo No. 63 M.D. 14-11-01

Removed from the file
Page 11 & 12 of file

26/5/02

To
The Superintending Engr.
VI Circle

23/5/02

23/5/02

No. 2 M.W.
25-1-1901
First Reminder dated 26-3-1901
Second - do. 9-5-1901
Memo No. 34 M.W. dated 27-6-01
Reminder dated 4-9-01
Memo No. 63 M.W. 14-11-01

The undersigned has the honour to invite the attention of the Superintending Engineer IV Circle to the marginally noted references and to request that the submission of the lists and maps therein called for may be expedited. The preparation of the revised list and map of Minor Works (Roads and Tanks) affecting Railways Madura District is being delayed for want of the [illegible]

The Superintending Engr
IV Circle
[illegible]

Stock Form No.
.000—18-7-02.

15

Public Works (1905) Department

CURRENT No. 16

From

[*Name*] C. J. USSHER Esquire.,

[*Designation*] Superintending Engineer, VI Circle,

[*Station*] Trichinopoly.

No.	1 CF	*Received*	5.1. 1905.
Dated	25 December 1904. R/ 3-1-05	*Registered*	10 1905
Enclosures	Plans / Others / Total 2	*Passed on, by—*	
		Registering Clerk	190
Spare copies		*U. R. Clerk*	190
		Referencer	190
		Record Supdt.	190
		Drafting Officer	190

SUBJECT

Minor works D.W.D. Madura District
forwarding list & map of —

BACK PAPERS. S. Clerk

FURTHER PAPERS.

16

To

The ~~Secretary to Government~~ Chief Engineer, Public Works Department

For Irrigation,

MADRAS.

Enclosures:-2.
1 List (revised).
1 Map. (Do. Tracing).

Sir,

With reference to your memorandum No.VI/2-M.D. dated 25th January 1901, requesting to retransmit duly revised the list and maps of Minor Works, P.W.D., Madura District, I have the honor to submit herewith the same duly revised.

2. The list was forwarded to the Collector of the District with the request to verify the figures shewn in column 8. In returning the list, the Collector states that he has verified and noted the changes in the figures in respect of the works in the Madura, Tirumangalam, Melur and Palni Taluks and with respect to the works in the other two taluks, he had called upon the Tahsildar to expedite the submission of the required information. The supplemental statement promised by him will be submitted when received.

3. With regard to the question of difference raised by you, between the figures shewn in the Administration Report for 1899-1900, and the list forwarded with this office No.157-T.C. dated 27th January 1896, I have the honor to state that the total number of tanks according to the list forwarded is 174, of which, Nos.49 Madalaimamadikolam and 121 Sackilichi-kolam tanks, should have been left out when adding up the total number of tanks, as they have been already transferred to the Revenue Department - under G.O.No.956-I, dated 7th November 1895, which fact appears to have been overlooked in your office when making up the total number of tanks.

4. The Periyar affected tanks have been eliminated from the list as well as six other tanks, according to orders received

from time to time.

I have the honor to be,

Sir,

Your most obedient servant,

Superintending Engineer,

VI Circle.

CHIEF ENGINEER
FOR IRRIGATION.
6-JAN 1905
No. 14

3 I DAPY

CS/

There are certain maps & diagrams that go with the G.O. 310 J. They ought to be sent to the Survey office for printing - the G.O. may be returned immediately after the removal of such as are to be printed

CSP
2/7

A/

[illegible]

The maps and diagrams in the G.O. need not be printed.

[illegible]
2/7/14

67

SUPERINTENDING ENGINEER
11592
18 DEC 1913
CIRCLE, TRICHINOPOLY

Extract of Statement showing the ayacut and Rev: particulars for the Anicut Channels & tanks fed by them in Surulijar Valley which are supplied with Periyar water.

P.W.D.
Accompaniment to E.E.'s. Receipt
No. 209 dated 15-1-1914

Extract from the statement received from the Tahsildar of Periyakulam to show revenue particulars for the works in the list of minor works in Suruliyar Valley benefitted by Periyar water.

Serial No. in the List	Name of work or tank	Ayacut and Revenue: After the advent of Periyar 1321. Extent	Assessment	Increase or decrease: Extent	Assessment	Miscellaneous: Prior to the advent of Periyar: Fasli Jasti Extent	Assessment	Theervai Jasti Extent	Assessment	Penalty levied in both Fasli Jasti & Theervai Jasti	After the advent of Periyar: Fasli Jasti Extent	Assessment	Theervai Jasti on dasingr... affected lands Extent	Assessment	Theervai Jasti in other lands Extent	Assessment	Penalty levied in both the cases	Miscellaneous Increase or decrease: Fasli Jasti Extent	Assessment	Theervai Jasti Extent	Assessment	Penalty
1	Vyravan channel and	..	..	16.12	186-6-0								4.38	35-0-0	2.94	23-7-0	229-2-0	-	-	7.32	38-7-0	229-2-0
	Tamaraikulam Tank	431	2488-0-0	49.68	239-2-0	..	..	4.31	17-4-0	..	360.38	939-9-0	97.70	535-3-0	46.19	183-13-0	1062-6-0	360.38	939-9-0	138.95	701-12-0	1062-6-0
2	Othukulam or Sirukulam	144.19	656-0-0	-	114-13-0	-	-	2.55	10-3-0	-	128.17	287-15-0	21.46	107-4-0	27.47	147-9-0	472-7-0	128.17	287-5-0	46.18	264-10-0	472-7-0
3	Cumbam chinna Voikal	478.3	3186-4-0	23.22	432-1-0	247.8	670-0-0	1.20	7-4-0	-	399-5-0	1273-3-0	4.55	36-6-0	13.1	63-4-0	825-8-0	151.97	603-3-0	16.36	876-0-0	825-8-0
3A.	Periyakulam	80.94	1357-0-0																			
3 B	Odaipadikulam	64.57																				
3C	Othukulam	47.97																				
4	Veerappanaickenkulam	195.93	1191-6-0	29.12	178-14-0	26.76	16-12-0	-	-	-	166.34	478-8-0	14.20	111-3-0	10.92	80.11	697-9-0	139.58	461-12-0	25.12	191-14-0	697-9-0
5	Uthamathu channel	245.13	2227-9-0																			
		529.90	4359-2-0	..	..	38.43	74-9-0	-	-	-	61.19	150-14-0	.40	2-9-0	-	-	103-11-0	22.76	76-5-0	.40	2-9-0	103-11-0
		562.6 28.99	3748-0-0 195-13-0	11.99	81-2-0	.	.	1.6	3-5-0	-	-	-	.57	4-2-0	1.11	8.50	57-8-0	-	-	.56	9-2-0	57-8-0
6	Kuppuchetti kulam	476.21	3152-2-0	10.98	74-2-0	..	..	1.15	4-9-0	-	.27	0-10-0	2.34	18-12-0	-	-	75-5-0	.27	0-10-0	1.19	14-3-0	75-5-0
7	Palayampuravoo chl.	2.71	11-10-0	-	-	.56	1-0-0	-	—		2.11	4-8-0	2.19	17-8-0	-	-	3-2-0	1.55	3-8-0	2.19	17-8-0	3-2-0
		122.68 4.65	829-11-0 31-8-0	12.16 4.65	82-3-0 31-8-0	12.16	82-3-0	-	-	-	-	-	1.30	5-3-0	-	-	-	-	-	1.30	5-3-0	-
		384.6	2650-3-0	2.79	31-4-0	-	-	-	-	-	-	-	17.72	107-15-0	5.19	36-11-0	188-10-0	-	-	22.91	142-10-0	188-10-0
8	Kalanirkulam	104.3	703-4-0										1.58	12-10-0	-	-	12-10-0	-	-	1.58	[illegible]	12-10-0
9	Thamaraikulam	540.7	3652-13-0	1.75	15-6-0								.54	2-12-0	.2	-	10-12-0	-	-	.56	[illegible]	10-12-0
10	Kamkattankulam	663.84	2976-14-0	3.18	636-15-0	136.89	240-3-0	8.33	26-1-0	-	284.47	140-5-0	1.20	7-10-0	1.72	8-10-0	468-12-0	147.58	400-2-0	6.41	9-15-0	468-12-0
11	Chinnamanur Chinna Voikal	302.21	1601-15-0	5.65	47-13-0	86.51	233-14-0	3.3	12-12-0	-	275.15	698-7-0	5.98	30-13-0	4.59	48-5-0	655-3-0	188.64	464-9-0	7.54	67-0-0	655-3-0
12	-do- Periya Voikal	901.77	7009-15-0	.52	17-9-2	.	-	12.76	48-0-0	-	-	-	1.38	11-0-0	5.27	19-8-0	93-9-0	-	-	6.10	17-8	93-9-0
13	Odaikulam	269.29	1316-13-0	7.24	48-15-0	-	-	-	-	-	137.96	344-4-0	4.19	19-11-0	.10	0-8-0	279-8-0	137.96	344-4-0	4.29	203-0	279-8-0
14	Sengulam	108.59	429-15-0	15.50	104-3-0	-	-	.	.	-	29.1	50-13-0	5.44	27-3-0	-	-	124-11-0	29.1	50-13-0	5.44	27-3-0	124-11-0
15	Markayankottai channel	397.60	2752-0-0	2.43	17-11-0	35.31	80-0-0	23.20	96-13-0	64-0-0	27.87	62-14-0	6.2	42-2-0	2.38	19-14-0	188-2-0	7.44	17-2-0	14.80	34-13-0	124-2-0
16	Sundakayankulam	90.74	354-0-0	-	-	30.58	55-2-0	-	-	-	52.5	98-1-0	-	-	-	-	78-7-0	21.47	42-15-0	-	-	78-7-0
17	Seeliampatty channel	303.89	2240-7-0	1.29	10-15-0	8.65	20-4-0	8.60	27-15-0	-	24.37	52-12-0	5.40	21-11-0	.36	3-13-0	68-8-0	15.69	32-6-0	2.84	4-1-0	68-8-0
18	Sirukolam Othukulam	105.6 52.67	367-7-0 186-2-0	-	-	7.36 1.46	13-0-0 -	-	-	-	13.68 43.87	24-0-0 17-0-0	-	-	-	-	20-9-0 65-11-0	6.32 42.41	11-0-0 77-0-0	-	-	20-9-0 65-11-0
19	Kottur channel	472.32	3244-15-0	-	-	6.73	14-5-0	1.28	3-15-0	3-6-0	59.22	127-7-0	6.75	50-9-0	.	-	220-3-0	52.49	110-2-0	5.67	46-10-0	216-13-0
20	Narana Samudram	222.70	1226-5-0	67.12	353-15-0	—	—	5.9	16-15-0	9-3-0	—	-	5.32	26-15-0	-	-	13-0-0	-	-	0.23	10-0-0	3-13-0
21.	Upparpatty channel	259.54	1865-7-6	9.61	71-3-6	-	-	-	-	-	3.25	8-2-0	1.51	12-2-0	-	-	62-4-0	3.25	8.2	2.51	17-6-0	62-4-0

22	Sangulam	86.51	539-7-0	3.65	26-10-0	-	-	-	-	-	1.19	2-13-0	-	-	5.9	37-12-0	39-9-0	1.19	2-13-0	5.9	37-12-0	39-9-0
23	Veerapandi Voikal	308.60	1965-11-0	16.88	98-11-0	-	-	-	-	-	5.9	11-6-0	3.0	23-15-0	1.18	4-7-0	59-13-0	5.9	11-6-0	4.18	28-6-0	59-13-0
24	Vayalpattikulam	102.91	611-8-0	22.13	136-14-0	-	-				-	-	8.38	65-0-0	1.0	-	77-12-0	-	-	8.39	15-1-0	77-12-0
25	Chattrapatty channel	127.94	781-60	27.79	214-8-0	-	-	-	-	-	.26	0-7-0	2.48	16-3-0	0.47	2.5	9-13-0	0.26	0-7-0	2.95	18-8-0	9-13-0
	Total	-	~~3171-8-8~~	318.84 ~~638.48~~	3171-8-8 ~~1501-4-0~~	638.48	1501-4-0	73.37	1750-0	76-9-0	2076.30	4833-14-0	226-10-0	1351-5-0	130.09	688.14	6181-3-0	1464.38	3931-15-0	280.55	1782-11-0	6181-5-0

Extract of Revenue derived for Fasli 1321 is as follows:—

(1) Increase due to new irrigation — Rs 3171-8-8
(2) -do- for fasli Jasti — Rs 3931-15-0
(3) -do- Thervai Jasti — Rs 1782-11-0
(4) Penalty — Rs 6181-5-0

Total Rs. 15067-7-8

(Signed) M. O'Brien
11.12.13
Executive Engineer
Madura Dn.

(By order)
[signature] 17.12.13
for Executive Engineer
Madura Division
Dd. 16/12/13

[initials] 17/12/13

[signature]
9-1-14
Supdg. Engr.

59

1820 22/8/12

1576 CE 29 AUG 1912

PUBLIC WORKS DEPARTMENT.

Irrigation Branch.

CHIEF ENGINEER FOR IRRIGATION. 6 SEP 1912 No.

8th REMINDER. Roc 1870/10

To The Supdg. Engineer VI Circle

The undersigned has the honour to invite attention to the ~~Order~~ R.O.C. * No. 1870/10 dated 24 May 1912 and to request that this reminder may be returned at once with information in the margin as to—

(1) the stage at which the matter now is,

(2) the date by which a reply may be expected, and

(3) the circumstances which have caused the delay.

[signature] 22/8/12

MADRAS, 26-8-1912.

For *Chief Engineer for Irrigation.*

PR 20/8/12

* *Subject.*

Revised list + map of minor Works P.W.D. Madras Dt. - Requesting the Supdg Engr to see that no further delay is allowed to occur in the disposal of the reference regarding —.

REPLY. No. 1122 CE / 485 b d/ 3-9-12

To

THE CHIEF ENGINEER FOR IRRIGATION,

Madras.

Sir

The Executive Engr Madras Dt. promised to submit the list about the middle of Aug 1912. As it has not yet been rec he has been remin to dispose of the refe at an early date. Every endeavour will be made to submit the map and the list, after obtai the Collector's app not later than the 15th Nov 1912 Sh

[signature] 2

[initials] 29/8/12

PUBLIC WORKS DEPARTMENT.

Irrigation Branch.

No. 5 CE 9-3-1-13

CHIEF ENGINEER FOR IRRIGATION. 6 JAN 1913 ROC No. 1870/10

REPLY.

2373 6 DEC 1912 Ninth

REMINDER. on Roc 1870/10

~~The Supg: Engineer~~

VI circle

To

THE CHIEF ENGINEER FOR IRRIGATION,

Madras.

THE undersigned has the honour to invite attention to ~~the~~ ~~Order~~ ~~R.O.C.~~* No. 1122 CE / 4856 dated 3rd September 1912 and to request that this reminder may be returned at once with information in the margin as to—

(1) the stage at which the matter now is,

(2) the date by which a reply may be expected, and

(3) the circumstances which have caused the delay.

MADRAS, 4.12. 1912.

For *Chief Engineer for Irrigation.*

Subject.

Revised list and map of minor works P. W. D, Madura District:— Stating that the — will be submitted not later than the 15th November 1912 after obtaining the Collr's approval

As the list and the map received from the Executive Engineer Madura are incomplete further information has been called for from him. He has been asked to treat the reference as specially urgent and dispose it before the 31st January 1913 so that the same may be forwarded to you before the 15th Feb 1913

21.12.12

Supg Eng

VI Circle

GC 2373 CE
1-12-12

PUBLIC WORKS DEPARTMENT.

Irrigation Branch.

CE 25-15 23 DEC 1912

X REMINDER. on Roc 1870/10

To

The Supg. Engineer
VI Circle

THE undersigned has the honour to invite attention to the ~~R.O.C.~~ G.O. Order* No. 1122 CE / 4856 dated 3rd September 1912 and to request that this reminder may be returned at once with information in the margin as to—

(1) the stage at which the matter now is,

(2) the date by which a reply may be expected, and

(3) the circumstances which have caused the delay.

2. The ninth reminder despatched on 4-12-12 has not been received with S. E's reply.

MADRAS,
19th Dec 1912.

[signature] 18/12
~~for~~ Chief Engineer for Irrigation.

18/12

* *Subject.*

Revised list and map of minor works, P. W. D. Madura District:— Stating that the —— will be submitted not later than the 15th November 1912

18/12/1912

REPLY.

CHIEF ENGINEER FOR IRRIGATION. 31 JAN 1913 Roc No. 1870/10

163 CE
29-1-13

To

THE CHIEF ENGINEER FOR IRRIGATION,
Madras.

Please see this office No 5 CE of 3-1-13 with which the reminder dated 4-12-12 was returned with reply—

[signature] 27-1-13

Supg Engr
VI Circle

20/1/13

SC

PUBLIC WORKS DEPARTMENT.

Irrigation Branch.

The Supdg Engineer
Delhi Circle

29 January 13

57

PUBLIC WORKS DEPARTMENT.

Irrigation Branch.

633
19 MAR 1913

ENGINEER FOR IRRIGATION
31 MAR 1913
Rec. No. 1870/10

REMINDER. Rec 1870/10 D/ 17.3.13

REPLY. 498 CE / 485 b d/ 28 3/13

To

The Supdg Engineer
Sixth Circle

THE undersigned has the honour to invite attention to the S.E. ~~Order~~ CE ~~R.O.C.~~ * No. 163/ dated 29 January 13 and to request that this reminder may be returned at once with information in the margin as to—

(1) the stage at which the matter now is,

(2) the date by which a reply may be expected, and

~~(3) the circumstances which have caused the delay.~~

[signature] 17/3/13

MADRAS, 17th March 1913.

for *Chief Engineer for Irrigation.*

14 3/13

15/3/13

* *Subject.*

Revised list & map of minor works P.W.D. Madura Dt— stating that the — will be forwarded before the 15" February last.

15.5.1913

To

THE CHIEF ENGINEER FOR IRRIGATION,

Madras.

The list & map returned to the Executive Engr Madura Dt. for revision and further information are still awaited from him. He has been told to dispose of the reference as early as possible

[signature] 28/3/13
Supdg Engr
VI Circle

AE
20/3/13

PUBLIC WORKS DEPARTMENT

Irrigation Branch

4879

[illegible]

[illegible]

58

3,000—8-13.

Public Works Department.

I - REMINDER.

No. 2861/485(b) d/31-3-13.

To

THE EXECUTIVE ENGINEER,
Madura Division.

The undersigned has the honour to invite the attention of the Executive Engineer to the reference quoted below and to request that this reminder may be returned to this office at once with information in the margin as to—

(1) the stage at which the matter stands at present,

(2) the date by which a reply may be expected, and

~~(3) the circumstances which have caused the delay.~~

(By order)

Sd/:- S.Duraiswami Iyer,

TRICHINOPOLY, 191 . } Manager, ~~Superintending Engineer,~~ VI Circle.

No. 66/485(b) dated 3-1-13. p57cf

Subject.

Railway Affecting Tanks.-

Pointing out certain omissions in the list of ------ and requesting to re-submit it with full information.

REPLY. No. 443SE 29-4-13

To

THE SUPERINTENDING ENGINEER,
VI Circle

CHIEF ENGINEER FOR IRRIGATION, 18 APR 1913 No 6110

Information regarding revenue -- particulars of each tank is awaited - from the Collector who is being frequently reminded on the subject.

Sd/:- V.Hart,
Executive Engineer.

No. 607 CE / 485 b d/ 16-4-13.

Copy forwarded to the Chief Engineer for Irrigation, in continuation of this office No. 498-C.E./485(b) ---- dated 28th March 1913. Page 57 Cfl

[signature] 15/4/13
for Superintending Engineer,
VI Circle.

[initials] 15/4

That the

Copies of

to the list of

applying for

to the list of

59 / Roc 1870/wdg 24-4-13

1870

Memo.

With reference to Endorsement No 607 CE/4856 D/ 16-4-13 by the S.E. VI circle, it is observed that the copies of correspondence forwarded therewith refer to the list of Railway affecting tanks, Madura Dt., whereas the S.E's previous letter No 298 CE/4856 D/28-3-13 referred to, relates to the list of minor works P.W.D.

The S.E. is therefore requested to report when the revised list and map of minor works P.W.D. promised in S.E's No 5 C.E 3-1-13 to be submitted by the 15 February last may be expected.

Paj 558 of pbr

Paj 557 of pbr

Paj 555 of pbr

DESPATCHED
Date 24-4-13
Encls. nil

Reminder to issue on 25/5/1913

To

The Supg Engr.
VI circle.

22-4-13 22/4/13

24/4/13

T 60

PUBLIC WORKS DEPARTMENT.

R.P.D. 80 (I).

CURRENT No.

ENCLOSURES. Plans No. Others No. Procs. 1870/10.

CHIEF ENGINEER FOR IRRIGATION. 7 MAY 1913

Received 191 .

Registered 191 .

Total.

SPARE COPIES.

Passed on by Registering Clerk ...

" " U. R. Clerk ...

" " Referencer ...

" " Record Superintendent.

" " Drafting Officer ..

Subject.

Revd list + map of Minor Works PWD Madura Dn — Informing that the — are awaited from the Ex. Engr.

No. 702 CE / 4856

Station, Trichinopoly, *Dated the* 5 May 1913.

From (Name) S. E. MURRAY, Esquire.,

(Designation) Superintending Engineer, VI Circle,

To The Chief Engineer for Irrigation, ~~The Secretary~~ to the Government of Madras, Public Works Department.

Sir,

With reference to your Memo.R.O.C.No.1870/10 dated -- 24th April 1913, I have the honour to inform you that the revised list and map of Minor Works P.W.D. are still awaited -- from the Executive Engineer, Madura Division, who has been directed to treat the reference as urgent and to dispose of it at an early date.

I have the honour to be, Sir,

Your most obedient servant,

[signature]

Superintending Engineer,

VI Circle.

P.A. 5 SC

Fr 23/5

61

Public Works Department.

REMINDER.

No. 4352/485 (b) dated 17-5-13.

To

THE EXECUTIVE ENGINEER,
Madura Division.

The undersigned has the honour to invite the attention of the Executive Engineer to the reference quoted below and to request that this reminder may be returned to this office at once with information in the margin as to—

(1) the stage at which the matter stands at present, and

(2) the date by which a reply may be expected, and

~~(3) the circumstances which have caused the delay.~~

(By order)

Sd/:- S.Duraiswami Iyer,
Manager,
Superintending Engineer, Office,
VI Circle.

TRICHINOPOLY,
191 .

No. 3981/485 (b) dated 5th May 1913.

Subject.

...ised list and map of ... works,

P. W. D.-

To expedite the submission of the

No. 655-S.E.,

REPLY.

CHIEF ENGINEER FOR IRRIGATION
7 JUN 1913
2039/13.

To

THE SUPERINTENDING ENGINEER,
VI Circle.

The Collector has been reminded in this office No.1123-M, dated 15th May 1913. The reference will be disposed of as soon as a reply is received from that Officer.

A date cannot be given.

Sd/:- V.Hart,
Executive Engineer.

****

No. 837 CE / 485 b dt 5-6-13

Copy forwarded to the Chief Engineer for Irrigation in continuation of this office No.702-C.E/485 (b) dated 5th May 1913.

Gopalachari
4-6-13
Superintending Engineer,
VI Circle.

687 CE 4 7-6-13
485-6

62

PUBLIC WORKS DEPARTMENT

Irrigation Branch.

SUPERINTENDING ENGINEER'S OFFICE. GENL. No. 1744 18 AUG 1913 ENCLO. W. D. VI CIRCLE TRICHINOPOLY.

REMINDER. Roc 1870/10

To

the Supg Engineer
Sixth Circle

THE undersigned has the honour to invite attention to the ~~Order~~ R.O.C.* No. 1870/10 dated 24th April 13 and to request that this reminder may be returned at once with information in the margin as to—

(1) the stage at which the matter now is,
and
(2) the date by which a reply may be expected, ~~and~~

~~(3) the circumstances which have caused the delay.~~

Attention is invited to his reply No 837/485 b dy 5. 6. 13.

P. K. Subba aiyar 15-8-13
for *Chief Engineer for Irrigation.*

MADRAS,
15th August 1913.

R 15/8/13

* *Subject.*

Revised list and map of minor works, P. W. D. Madura Dn.

Regr SE to report when the — may be expected in this office.

CHIEF ENGINEER FOR IRRIGATION. 27 AUG 1913 No. 3685/13 CE

REPLY. 1249 / 485(b) 25.8.13

To

THE CHIEF ENGINEER FOR IRRIGATION,
Madras.

The Collector has stated that the reference made to him awaits local inspection & enquiry and that a reply will be sent as early as possible.

S. Srinivasan 22.8.13

Supdg Engr. 6th Circle

Tri 30/8/13

63

PUBLIC WORKS DEPARTMENT.

Irrigation Branch. C2039/13

CE 2549 12 DEC 1913

REMINDER. 2039/13 (1870/10)

To the Supdg Engineer Sixth Circle

THE undersigned has the honour to invite attention to the ~~Order~~ R.O.C.* No. 1870/10 dated 24th April 13 and to request that this reminder may be returned at once with information in the margin as to—

(1) the stage at which the matter now is,

(2) the date by which a reply may be expected, ~~and~~

~~(3) the circumstances which have caused the delay.~~

2. attention is invited to SE's reply No 1249/485(6) d/ 25.8.13

MADRAS, 4th Decr 1913.

for *Chief Engineer for Irrigation.*

TQ

4/12/13

* *Subject.*

Revised list and map of minor works, P.W.D. Madura Dn — reqs S.E. to report when the — may be Expected in this Office

4/12/1913

No. 1814 CE 485(6) d/ 15.12.

CHIEF ENGINEER FOR IRRIGATION 16 DEC 1913 No. 5835/13

REPLY.

To

THE CHIEF ENGINEER FOR IRRIGATION,

Madras.

The list and map have not yet been received from the Executive Engineer Madura Division. The Executive Engineer has been instructed to treat the matter as urgent.

for Suptg Engr VI Circle

13/12/13

SC

17-12

53

E.I.'s office

R.O.C. No. 1870/10 d/ 24-5-12

Memo

With reference to correspondence ending with No. 545 C.E. d/ 10.5.12 from the Supg. Engineer, VI Circle regarding the revised list and map of Minor Works PWD Madura Dt, the E.I. h.h. to invite the attention of the Supg. Engineer to the fact that the reference has been pending from December 1907 and 7 Reminders have already been issued on the subject.

The Supg Engineer is therefore requested to see that no further delay is allowed to occur in the disposal of the ~~subject~~ matter.

[signature] 21/5/12

p 52 cf

I [initials] 24/5/12

SC

C/ RC [initials] 24/5

[initials] 24/5/12

DESPATCHED
Date 24.5.1912
Enclos.........

[initials] 21-5-12

To
The Supg. Engineer, VI circle

RD 21/5/12

E. I. Form No. 143—500—1-11 07.

46

REMINDER.

MEMORANDUM. No 928

The undersigned has the honor to request the Superintending Engineer VI Circle to be good enough to expedite his reply to the reference noted below.

(By Order.)

[signature]

Asst. Chief Engr. for Irrigation.

CHEPAUK, 25-2 1908.

No. 4992 dated 12 December 19[illegible]

Requesting to report in consultation with the Collector of Madura the nature of works in the Suruliar Valley classed as [illegible] affected

DESPATCHED
DATE 25-2-1908
ENCLOS.

To
The Superintending Engineer, Sixth Circle.

No. 4492   12 December

in report to Regarding
the extra [illegible] from
a Madura of Collector
[illegible] of the [illegible]
Valley Sinclair the
[illegible] Reading as Council
affected

the For

CHIEF ENGINEER FOR IRRIGATION. 1 - MAY 1910 No. 1870/10

PUBLIC WORKS DEPARTMENT

Irrigation Branch.

SUPDG. ENGINEER No. 482 8 APR 1910 P.W.D. SIXTH CIRCLE

DESPATCHED 27 JUL 1910

II REMINDER.

To

The Superintending Engineer
Sixth Circle

The undersigned has the honour to invite attention to the ~~Order~~ Memo.* No. 4992. dated 12 December 1907 and to request that this reminder may be returned at once with information in the margin as to—

(1) the stage at which the matter now is,

(2) the date by which a reply may be expected, and

~~(3) the circumstances which have caused the~~ delay.

6.4.10

MADRAS, April 1910. For *Chief Engineer for Irrigation.*

5.4.10

* *Subject.*

Revised list and map of minor works P.W.D. Madura Dt.

Requesting to submit certain information re tanks noticed for purpose of compiling a ———.

REPLY. No. 445 CE 30.4-10.

To

THE CHIEF ENGINEER FOR IRRIGATION,

Madras.

Sir,

In reply I have the honour to inform you that the reference is pending with the Exe Engineer Madura Dt. who has been asked to dispose of the refer. as early as possible.

I have

27/4/10

25/7/10

9-5-10

3rd Reminder issued on 18-8-10

References.
22-12-09
6-4-10

PUBLIC WORKS DEPARTMENT.

Irrigation Branch.

No 847.C.E
2.9.10.

1182 C. ORDER
19 AUG 1910
SIXTH CIRCLE

3rd REMINDER. Dis. Roc. 1870/10

REPLY.

To

The Supt Engineer
Sixth circle

To

THE CHIEF ENGINEER FOR IRRIGATION,

Madras.

D.E.I.
5 SEP 1910

The undersigned has the honour to invite attention to the ~~Order~~ S.E's ~~R.O.C.~~ No. 4456 E dated 30-4-10 and to request that this reminder may be returned at once with information in the margin as to—

(1) the stage at which the matter now is,

(2) the date by which a reply may be expected, and

(3) the circumstances which have caused the delay.

Sir,

In reply, I have the honour to inform you that the reference is still pending with the Executive Engineer Madura Dt. who has been asked to dispose of ~~the reference~~ it as early as possible

I have etc

[signature]
1-9-10
Supt Eng
VI Circle

[signature]

MADRAS,
18th August 1910.

For Chief Engineer for Irrigation.

16.8.10

*12.8.10

*Subject.

Revised list & map of Minor Works P.W.D Madura Dt.

Stating that the reference is pending with the E.E Madura Division & that he has been asked to dispose of the reference as soon as possible

4th Rem. Dt 15-11-10 to SE VI

Rem. Dt 17.1.11 to SE VI

31.8.10

To ... 5.9.10

DESPATCHED
16 NOV 1910

DESPATCHED
18 JAN 1911

49

77C.E. 20 JAN 1911

PUBLIC WORKS DEPARTMENT.

CHIEF E... FOR I... 25 JAN 1911 Roc No. 1870/10

Irrigation Branch.

IV REMINDER on R.O.C. No. 1870/10

To

The Supdg: Engr.
VI circle

The undersigned has the honour to invite attention to the ~~Order~~ ~~R.O.C.~~ C.E.'s* No. 847 C.E. dated 2.9.10 and to request that this reminder may be returned at once with information in the margin as to—

(1) the stage at which the matter now is,

(2) the date by which a reply may be expected, ~~and~~

~~(3) the circumstances which have caused the delay.~~

N.B. The reminder despatched on 15.11.10 has not yet been received with the Supdg: Engr's reply

The Leeces 17.1.11

MADRAS,
January 1911.

For Chief Engineer for Irrigation.

D 6.1.11

* Subject.

Revised list and map of minor works O.W.D., Madura Dt.:-

Stating that the reference is pending with the Ex: Engr. Madura Dt. & that he has been asked to dispose of it as early as possible.

D 21/1/11

To lie over for 3 months

Del 27.1.11

R. SE VI D 29 5/11 DESPATCHED 29 MAY 1911 26/1/11 DEF

REPLY. No. 90 C.E. 23.1.4

To

THE CHIEF ENGINEER FOR IRRIGATION,

Madras.

p 48 ff

The reference is still pending with the Exe: Engr who has been reminded.

The Supdy Engr. wanted to reply to this reminder after getting a statement from the Exe. Engr as to the probable date by which a reply may be expected from him. He has not, however, answered the special reminder sent to him on the subject.

Dev 20/1/11 Mulderd Supdg Engr.

SUPDG. ENGINEER
30 MAY 1911
P.W.D.
SIXTH CIRCLE

PUBLIC WORKS DEPARTMENT.

Irrigation Branch.

C.E. FOR IRRIGATION.
8 JUN 1911

Roc. 1870/10

V REMINDER on R. oc 1870/10

To
The Supg: Engineer
VI. Circle.

The undersigned has the honour to invite attention to the ~~Order~~ S.E.s ~~R.U.C.~~ * No. 90 C.E dated 23rd January 1911 and to request that this reminder may be returned at once with information in the margin as to—

(1) the stage at which the matter now is,

and

(2) the date by which a reply may be expected, ~~and~~

~~(3) the circumstances which have caused the delay.~~

[signature] 23/5/11

MADRAS, 19 .

For *Chief Engineer for Irrigation.*

* *Subject.*

Revised list and map of Minor works, P. W. D. Madura District: — Stating that the reference is still pending with the Executive Engineer, Madura Division

REPLY. Ro. 602.
6.6.4

To

THE CHIEF ENGINEER FOR IRRIGATION,

Madras.

The Executive Engineer has promised to submit the list by the end of September 11.

[signature] 1/6/11
Supdg. Engr.
6 Circle

Rec 30/5/11

To lie over till October 1911

[signature] 19/6
DES

51

PUBLIC WORKS DEPARTMENT

(Irrigation Branch.)

CHIEF ENGINEER FOR IRRIGATION
23 NOV 1911
Roc 1870/10

1828
15 NOV 1911

VI REMINDER. on Roc 1870/10

To

The Supg: Engineer
VI circle

The undersigned has the honour to invite attention to the ~~Order~~ S.Es ~~R.O.C.~~ No. 602CE, dated 6th June 1911 and to request that this reminder may be returned at once with information in the margin as to—

(1) the stage at which the matter now is, and

(2) the date by which a reply may be expected ~~and~~,

~~(3) the circumstances which have caused the delay.~~

H. L. Nicholson.
10-11-11.

8.11.11

MADRAS,
191

For *Chief Engineer for Irrigation.*

Subject.

Revised list and map of Minor works, P. W. D. Madura District:— Stating that the Executive Engineer has promised to submit the —— by the end of September 1911

REPLY. No. 1322 E / 485 / 21.XI.11

To

THE CHIEF ENGINEER FOR IRRIGATION,

Madras.

Sir,

The revised list and map of minor works in charge of P.W.D. are still awaited from the Executive Engineer Madura Dt. who has been specially reminded to dispose of the reference at once. The list and the map may be expected in your office before 31st January 1912

I have &c

[signature]
18.XI.11
Supg. Engr.
VI Circle

17/11/11

14.XI.11

VI

on Rec 18.10.10

The Supdt. Engineer

VI Circle

E. 3

Read

6th June 1911

and

Revised list and map of [illegible] works, P.W.D. Madura District.

Stating that the Executive Engineer has promised to submit the ____ by the end of September 1911

Sir,

The revised list [illegible]

map of [illegible]

a charge of [illegible]

electrification [illegible]

Executive Eng[illegible]

[illegible]

has been approved [illegible]

returned [illegible]

of the reference [illegible]

The list [illegible]

[illegible]

Your obedt. [illegible]

3rd [illegible]

8060 [stamp: 30 APR 1912] 30/4/12

PUBLIC WORKS DEPARTMENT.

(Irrigation Branch.) 52

7th REMINDER. 6 Roc 1870/10

To The Supdt. Engr VI Circle

The undersigned has the honour to invite attention to the ~~Order~~ SEO R.O.C. No. 1322, dated 21. 11. 1911 and to request that this reminder may be returned at once with information in the margin as to –

(1) the stage at which the matter now is,

(2) the date by which ~~a reply~~ the list & map may be expected, and

(3) the circumstances which have caused the delay.

[signature] 30/4/12

For *Chief Engineer for Irrigation.*

MADRAS, 191

Rcd 30/4/1912

Subject.

Revised list map of minor works PWD Madura Dt – Reporting that the – will be despatched so as to reach E.I's office before the 31st January 1912.

[stamp: CHIEF ENGINEER FOR IRRIGATION 11 MAY 1912]

REPLY. Pr. 5 Ms-ch 10.5.12

Roc 1870/10

To

THE CHIEF ENGINEER FOR IRRIGATION,

Madras.

p 57 of

Sir,

In reply, I have the honour to inform you that the revised list & map of minor works in charge of P.W.D. are still awaited from the Executive Engineer Madura Division who has been reminded to treat the reference as specially urgent and dispose it of as early as possible.

I have etc

S. R. Mumaz 5/5/12

Supdg Engr VI Circle

Ent 2/5/12

SC

T

PUBLIC WORKS DEPARTMENT.

(Irrigation Branch.)

REPLY.

The Chief Engineer for Irrigation,

Madras.

REMINDER.

To The Supdt. Engr.

IV Circle

The undersigned has the honour to invite attention to the ... No. 1322 dated 21.11.14 and to request that the reminder may be returned at once with information of the action taken.

Madras, 191

For Chief Engineer for Irrigation.

Subject.

Reporting that the ... will be despatched ... before the 31st January 1915.

In reply, I have to inform you that the ... work of main canal ... charge of ... their ... Engineer ... has been ... that the ... as possible.

Stock Form No.
0,000—18-7-02.

18

13/3

Public Works (1905.) Department.

CURRENT No. 1149

From

[Name] C. J. USSHER Esquire.,

[Designation] Superintending Engineer, VI Circle,

[Station] Trichinopoly.

No. 189 CE

Dated 9 March 1905

Enclosures { Plans 1 / Others 1 } Total. 2

Spare copies

Received 10-3- 1905.

Registered Do 1905.

Passed on, by—

Registering Clerk 190 .

U. R. Clerk 190 .

Referencer 190 .

Record Supdt. 190 .

Drafting Officer 190 .

SUBJECT

Minor Roads Madura District

Forwarding a list of — to be classed as Imperial

BACK PAPERS. S. C.

FURTHER PAPERS.

10.8.05

19

To

The Chief Engineer ~~Secretary to Government~~, ~~Public Works Department~~

For Irrigation,

MADRAS.

Enclosures:-2.
1 List and
1 Map.

Sir,

With reference to your recommendation No.1341 dated 16th April 1904 and the Resolution of the Board of Revenue No.149 dated 21st idem, I have the honor to forward herewith a list of minor tanks furnished by the Collector to be included in the list of tanks under the charge of the Public Works Department; I also forward a map shewing their position noted thereon in red ink. There is no objection to these tanks being included in the Imperial List.

① See pages 81 (a) + 81 (b) of Cf

I have the honor to be,

Sir,

Your most obedient servant,

[signature]

Superintending Engineer,

VI Circle.

8-3-05

E. I. Form No. 2—500—4-2-05.

ENTERED IN THE CALL BOOK.

Ootacamund, 23 June 1905.
Madras, 190

From

A. H. G A R R E T T Esq.,

CHIEF ENGINEER FOR IRRIGATION,

DESPATCHED DATE 23.6.1905 ENCLOS.

No. 1963

MEMORANDUM.

Enclosures. 4

1 List
1 Map
2 Stats

With reference to letter No.1 C.E., dated 3rd January 1905 of the Supg. Engineer, VI Circle, the undersigned has the honour to make the following observations:-

(1) The positions of the Parambia tank and Manthaikulam anicut are not traceable. A sketch map on a scale of 1" = 1 mile showing the site of the two works should be submitted.

(2) The accompanying statement indicates the length of the undermentioned channels as shown in the list under reference and in the Descriptive Memoirs of the Minor basins concerned. The discrepancy needs explanation.

(a) 84. Kullar channel.

(b) 85. Alagapuri Kal.

(c) 87. Melamangalam channel.

(d) 88. Keelamangalam channel.

(e) 90. Gullapuram channel.

(f) 92. Nagarvalli channel.

(g) 93. Puduanai channel.

(h) 97. Veerankulam channel

(i) 99. Periyakulam channel.

(j) 112. Kunnur Vaigainadikal.

(3) According to the Descriptive Memoirs of the Suruliyar Minor basin, there appears to be no

22

anicut across the Soranganadi, but the drainage stream itself empties into the Maithalai Mannadi Kulam tank which has been ordered to be abandoned in G.O., No.936-I, dated 7th November 1895. Even if the anicut has since been constructed, it is not understood why the anicut *alone* should be in charge of P.W.D. and not the channel and tank connected with it.

(4) Ottukulam tank No.52 in the list under reference has been shown as a separate work on the tracing but it is according to the Surli Minor basin map, a portion of Thamarai Kulam tank separated by a cross bund.

× Returned from file

(5) Varahanadi channel No.79 in the list is shown to take off the Berijam anicut but according to the Descriptive Memoir and plate of the Periyakulam Minor basin it appears to take off from the Talaiyattu Covil dam.

× Being bulky not put up

(6) The positions of the No.75 Panasalai anicut and channel No.81 Thamaraikulam supply channel, No.84 Kuliar anicut and 95 and 96 Moongil anicut channel and supply channel and Sengulam tank as shown in the sketch map received from the Supg. Engineer, do not agree with those of the same works shown in the plates of the Suruliyar, Periyakulam and Butlagunda Minor basins.

× Being bulky not put up

(7) Two channels by name Thenkarai channels No.115 and 128 have been shown in the list and map received with the Supg. Engineer's letter under reference, the ayacuts under them being 195 & 329 acres respectively. But according to the Descriptive Memoirs of the Sholavandan Minor basin they are 567 and 478 acres respectively. The length of No.128 Thenkarai channel which is known as Thenkarai spring channel is, as shown on the map of Sholavandan Minor basin, about

vide Page 4 of D memoir & plate put up

23

Not page 27 of Sh. Narmudam Mumstanin No. 66

2 miles, but it is 5 miles 40 chains as given in the list under reference. These channels have been classed as Periyar affected works vide G.O., No. dated and should equally with those on the left bank of the Vaigai be omitted from the list.

With reference to these & the Kelyur Chl. Periar affected & the channels and banks in Periakulam taluq, the revenue of which is believed to be credited to the Periar Project the S.E. is requested to report if they should not be classed as Periar affected & eliminated from this list.

(8) Why Iridimanadi channel has been shown again under No.134 Anuppanadi Kanmoyi is not understood.

The Superintending Engineer, VI Circle, is requested to be so good as to retransmit the list and map herewith returned, duly revised in the light of the above observations. The list should be prepared in the annexed form and should contain also the information promised in para 1 2 of the Supg. Engineer's letter under reference.

With regard to the proposal made in his letter No.189 C.E., dated 9th March 1905, of the Supg. Engineer regarding the transfer to the P.W.D. of the 3 marginally noted works, it is requested that as the positions of the first two tanks are not traceable, a sketch map on a scale of 1" = 1 mile showing their positions should be submitted and the tanks included in the revised list returned herewith.

Page 18 & 19 of file

Ponnamangalam Sinna Kanmoy.
Sirukulam Ottukulam.
Anuppanady Kanmoy.

As the revised map of irrigation works, P.W.D. Madura District is ready for printing, it is requested that arrangements may be made to have the information called for above, submitted to this office at a very early date.

(By Order)

[signature]

Asstt. Chief Engineer for Irrign.

Cmd. 18.6.05

To
The Supg. Engineer, VI Circle.

Revised list of Irrgn. Works in charge of Public Works Department.

P.W. Dn.	Taluk	Source of Supply	Name of Minor Basin	Page of R.S.D. [illegible]	Name of Works	Length of Channel	Longitude East	Latitude North	Standard to be maintained				Area of Catchment basin	Discharge in cft per second	Existing length of Escape	Present Irrign.		Name of Railway line affected	No. of Railway affecting Tanks
									Included M.W.L. above F.T.L.	Top level of bund above F.T.L.	Top width of bund	Side slopes				Area	Assessment		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
						M. Chain	Deg: M. Sec	Deg: M. Sec	F.T.	FT	FT		Sq mile	Cft per sec	FT	acres	Rs		

Statement showing the length of certain channels in Madura Dt.

Name of Chl.	Reference & Description Memoirs			Length as per S. Er list		Length as given in T.R.S.D. Mem.	
	page	No. of work	Name of minor basin	Miles	Chain	Miles	Chain
Kullar channel	38	9	Periyakulam	3	63	5	33 1/3
Alagaparikal	49	27	— do —	1	52	2	20
Melamangalam Chl.	76	53	— do —	3	42	2	64
Keelamangalam Chl.	80	56	— do —	2	.	1	75
Gullapuram Chl.	86	60	— do —	3	11	3	14 1/2
Nagavalli Chl.	42	17	Bullagunta	1	47	1	30
Pudu anai Chl.	33	10	— do —	2	52	2	30
Virankulam Chl.	30	8	— do —	2	29	2	20 2/3
Periyakulam Chl.	26	5	— do —	1	45	2	41
Kummur Vaigai nadikal	46	21	Andipatti	3	3	3	7

Statement Showing the length of [illegible] Channels in the [illegible]

Name of Chl.	Length [illegible]	No. of [illegible] work	Name of [illegible]	[illegible]	[illegible]	[illegible]
Kullar Channel	38	9	[illegible]	3	63	5	33⅓
[illegible] Kal.	49	27	do	1	52	2	20
[illegible] Chl.	76	53	do	3	42	1	64
[illegible] Chl.	80	56	do	2	.	1	75
[illegible] Chl.	86	60	do	3	11	3	44
[illegible] Chl	42	17	[illegible]	1	47	1	30
[illegible] Chl.	33	10	do	2	52	4	50
[illegible] Chl.	30	8	do	2	29	4	[illegible]
[illegible] Chl.	26	5	do	1	65	1	[illegible]
[illegible] Chl.	46	21	[illegible]	3	3	[illegible]	[illegible]

Para 2.- The Executive Engineer reports that the lengths shewn in the descriptive memoirs should alone be taken as correct and accordingly, they have been now entered in the revised list.

Para 3.- The tanks under the Soranganadi anicut having been classed under Minor Works Revenue Department, under G.O. No.936-I, dated 7th November 1895, the Executive Engineer states that the anicut need not be maintained by the P.W.D. and it is therefore now omitted from the revised list.

Para 4.- The Ottukolam tank is reported by the Executive Engineer to be a separate tank with a cross bund between it and Thamaraikolam tank.

Para 5.- The Varahanadi channel takes off from Thalaiyuthu Covil Dam.

Para 6.- The correct positions of the channels referred to therein, have been now shewn on the map.

Para 7.- The figures 195 & 529, representing the ayacuts under Nos.115 & 128 (old numbers) are those given by the Collector after verification and they are left as they have been originally entered. Thenkarai Channel and tank (Nos.115 and 117) have however now been omitted from the list as their revenue are charged to the Periyar Project, but the other works referred to in this para cannot be eliminated as their revenues are not charged to the Periyar Project.

Para 8.- The Kiridumanadi channel entered twice in the list is a clerical error for Anumanadi small tank, and the revised list has been accordingly amended.

With regard to the penultimate para of your memorandum under reference, on the question of transferring from the Revenue Department to the P.W.D. the 3 tanks referred to therein, have been now included in the revised list and also shewn on the map. Apart from this, sketch maps on larger scale indicating their positions are also forwarded as desired by you.

I have the honor to be,
Sir,
Your most obedient servant,

SKETCH MAP
SHOWING
ANUPANADI SINNA K.Y. AND PERIA K.Y.
SCALE 1" = 1 MILE

30

(No 133 + 132 IN THE REVISED LIST.)



EXECUTIVE ENGINEER
MADURA DIVISION

SKETCH MAP

SHOWING

ANUPANADI SINNA KX AND PERIA KX

SCALE 1" = 1 MILE

(No 133 + 132 IN THE REVISED LIST.)

SUPERINTENDING ENGINEER'S OFFICE
No. 1326
16 OCT 1906
P.W.D.
SIXTH CIRCLE



EXECUTIVE ENGINEER

MADURA DIVISION

SKETCH MAP
SHOWING
SIRUKULAM OTTUKULAM TANK
SCALE - 1" = 1 MILE

(No. 67 IN THE REVISED LIST.)

EXECUTIVE ENGINEER
MADURA DIVISION

24/5/06
S.d.
6

SKETCH MAP
SHOWING
SIRUKULAM OTTUKULAM TANK

(No 67 IN THE REVISED LIST)

SIXTH CIRCLE

EXECUTIVE ENGINEER
MADURA DIVISION

SKETCH MAP
SHOWING
PONNAMANGALAM CHINNA KY. AND PERIYA KY.
SCALE 1" = 1 MILE
(Nos 146 + 145 IN THE REVISED LIST)
N
PONNAMANGALAM
PERIAKANMOY
SORIKKAMBATTI
CHINNAKANMOY
KUNNAMBATTI
VAILAMPATTI M. I
KARADIKULAM
PONNAMANGALAM
ORAPPANUR
SENKULAM
TIRUMANGALAM
EXECUTIVE ENGINEER
MADURA DIVISION


33
SKETCH MAP
SHOWING
PONNAMANGALAM CHINNA KY AND PERIYA KY
SCALE 1"=1 MILE
(Nos 140-145 IN THE REVISED LIST)
N
PERIAKANMOY
SORIKKAMBATTI
PONNAMANGALAM
CHINNAKANMOY
VALLAMPATTI M-1
KUNNAMBATTI
KARADIKULAM
PONNAMANGALAM
SUPD. ENGINEER'S OFFICE
No.
16 OCT 1906
P.W.D.
SIXTH CIRCLE
ORAPPANUR
SENKULAM
EXECUTIVE ENGINEER
MADURA DIVISION
TIRUMANGALAM

34

Stock Form No. 141
10,000 - 29-6-05.

PUBLIC WORKS DEPARTMENT.

CURRENT No. 4338

Received 12. 7. 1907.

Registered 190 .

ENCLOSURES. { Plans No. / Others No.

Total

SPARE COPIES.

Passed on by Registering Clerk ...
" " U. R. Clerk ...
" " Referencer ...
" " Record Superintendent.
" " Drafting Officer ...

Subject

Certain tanks in Madura District — Enquiring whether the proposal to transfer —— from the charge of the Rev: Deptt to the P. W. D. has been approved by Govt

No. 372 6-8

Station, Trichinopoly, *Dated the* 6 July 1907.

D78

From (Name) C. W. WOOD Esquire.,

(Designation) Superintending Engineer, VI Circle.

To The Chief Engineer for Irrigation, ~~The Secretary~~ to the Government of Madras, Public Works Department.

Sir,

I have the honour to request you to be so good as to let me know whether the proposal to transfer certain tanks in Madura District from the charge of the Revenue Department to the Public Works Department, made in this office No.159 dated 9th March 1905, has been approved by Government and whether estimates for repairs to the

SC

SB / 13707

Papers

Pages 18 to 20 of file

35

tanks in question may be sanctioned for execution by the Public Works Department.

I have the honour to be,

Sir,

Your most obedient servant,

C. W. Wood

Superintending Engineer,

VI Circle.

Public Works (~~190~~ 1894) Department.

IRRIGATION BRANCH.

ISSUE No. 36·G

To

~~The~~ All Supy Engrs

(Reply to letter No. , dated

Dated 3 — 10 — 94

Despatched

Enclosures *

* Particulars of Enclosures.

SUBJECT.

List and maps of Irrigation works P.W.D. – ~~Forwarding~~ the — for correction & return as soon as possible.

E. I. Form No. 13—4,000—16-5-03.

BACK PAPERS.	
No.	Date.

FURTHER PAPERS.	
No.	Date.

Sent to Government with No. I.,
dated 190 .

Printed with G.O., No. I.,
dated 190 .

REMINDERS ISSUED.

No. 1, dated 190 .
" 2 "
" 3 "
" 4 "
" 5 "

KEEP-WITHS.

	Class I		Class II		Class III		Class IV	
	list	map	list	map	list	map	list	map
Ganjam							1	1
Vizagapatam					1	1	1	1
Godavari	3	3					1	1
Kistna	2	2					1	1
Nellore	2	2					1	1
Bellary							1	1
Anantapur							1	1
Kurnool	1	1	1	1			1	1
Cuddapah							1	1
Coimbatore			1	1	1	1	1	1
Salem	1	1			1	1	1	1
North Arcot			3	3			1	1
Chingleput			3	3	1	1	1	1
Tanjore	1	1	2	2			1	1
South Arcot			6	6	2	2	1	1
Trichinopoly	1	1					1	1
Madura							1	1
Tinnevelly	1	1	1	1	2	2	1	1

Circular Memo No.36-G.

dated 3-10-94.

In forwarding herewith the sketch maps and lists of Irrigation works noted in the margin, the undersigned has the honour to request that the Superintending Engineer will be so good as to - return them as soon as possible after correcting them upto date. They are required for transmission to the Board of Revenue for compiling the accounts of Irrigation Revenue.

(Sd) F.W. Ashpitel.

Asstt Chief Engr for
I.

FORMER CASES.

I No. 369 dated 3-10-1894.
I " 534 m " 3.10. 1894
R " 458 m " 6-9. 1894

Receipt No. 3-VI

Dated 29-1-1896.

LATER CASES

I No. 77 M dated 14/7 1896.
" " 189 .
"

Sent to Government with No. I of 189 .

Printed with G.O., No. , dated 189 .

REMINDERS RECEIVED.

No. 1, dated	189 .
" 2 "	"
" 3 "	"
" 4 "	"
" 5 "	"

KEEP-WITHS.

.. I. Form No. 5—2,000—23-9-95.

C.E.I. 1-2-96

Receipt No. 3-VI

From The Supg. Engr. 5th Circle

No. 137 C

Dated 27-1-1896.

(Reply to E.I.'s Memo. No. 36 G, dated 30 Octr 1894.)

Subject— Surgn works, after damming to the Lucy & Madrupa Drs. Returns the sketch maps & lists 7 — after correcting them up to date.

BR
29.1.96

ENCLOSURES. 6

From	to
	C.E.I to Chek.
"	"
"	"

Orders and Proceedings in File. C.E.I
BR 31.1.96

No.	Date.	No.	Date.

Mk 31.1.96

OFFICE OF THE SUPERINTENDING E[...]

6TH CIRCLE.

Trichinopoly, 27 January 18[...]

5/28

FROM

W. Hughes Esquire

~~THE~~ SUPERINTENDING ENGINEER,

6th CIRCLE.

TO

THE CHIEF ENGINEER,

for Irrigation.

SIR,

ENCLOSURES. +6.

Trichinopoly Dn
1. Map &
1. List of Cauvery Delta
1. Map and
1. List of other works under P.W.D.

Madura Dn.
1 Map and
1. List of other works under P.W.D.

+ sent separately.

With reference to your Circular Memorandum No. 36 G. d/3rd October 1894, I have the honor to return here-with the sketch maps and lists of Irrigation works, noted in the mar-gin, appertaining to the Trichinopoly and Madura Divisions after cor-recting them up to date.

2. Those relating to the Tinne-velly Dn, will be returned as soon as they are received back from th[e] Executive Engineer, who states tha[t] they have been sent to Sub. Divisi[on] Officers for verification and [re]-minders sent.

250—29-3-94.

P. W. D. 6th CIRCLE.

FROM

THE SUPERINTENDING ENGINEER,
6TH CIRC

TO

R 3-VI

THE CHIEF ENGINEER,
for Irrigation

No. 137 C

Dated 27
Received 30 } January 189

Enclosures. 6.

Irrigation works, appertaining to the Trichinopoly & Madura Dns: —
Returns the sketch maps & lists of — after correcting them up to date —

I have the
Sir
Your Most o

W. Hug
Supt. Engineer,

68

Memo 2039/13-
7.2.14

With reference to Letter No 63 Cr dated 13 January 1914 of the Supdg Engineer VI Circle the Chief Engineer for Irrigation has the honour to inform the SE that in the circumstances reported the information called for in paras 1 to 3 only of this office Memo No 4992 dated 12 Dec 1907 need be furnished and that the particulars referred to in the latter part of the memo para 4 of is not required.

Kry 5/2/14

Reminder to issue on 1-3-1914

7.2.14

Paras 36+37 of file

DESPATCHED 7.2.14

Page 38 of file

SE - through ... of Reg.

Issue

To the Supdg Engr VI Circle

5/2/14

1914 PUBLIC WORKS DEPARTMENT.

Irrigation Branch.

SUPERINTENDING ENGINEER'S OFFICE 123 23 JAN 1914 TRICHINOPOLY

CHIEF ENGINEER FOR IRRIGATION 30 JAN 1914 No. 563/14

REMINDER. 2039/13 (1870/10)

To the Supg Engineer Sixth Circle

THE undersigned has the honour to invite attention to the ~~Order~~ R.O.C.* No. 1870/10 dated 24th April 1913 and to request that this reminder may be returned at once with information in the margin as to—

(1) the stage at which the matter now is,

(2) the date by which a reply may be expected, ~~and~~

~~(3) the circumstances which have caused the delay.~~

2. attention is invited to SE's No. 1814 CE/485(6) 15.12.13

MADRAS, 16th January 1914

for Chief Engineer for Irrigation. 19/1/14

* Subject.

Revised list and map of Minor works, P.W.D. Madura Dn regs SE to report when the — may be expected in this Office

---

REPLY.

No. 145 CE/485(6) dt 29 January 1914

To

THE CHIEF ENGINEER FOR IRRIGATION,

Madras.

Sir.

Please refer to this office No. 68 C.E./485(6) of 13-1-14

S. Krishnaswami for Superintending Engineer VI Circle

12th December 1907.

I have the honour to be,

Sir,

Your most obedient servant,

For Superintending Engineer,

VI Circle.

72

E. I. Form No. 15—960—17-2-08

Chepauk, 190 .

No.

From

The Hon. Col. W. M. Ellis, R.E.

CHIEF ENGINEER FOR IRRIGATION.

MEMORANDUM.

No. 1282/14-1 8
9.3.14
10

Enclosures.

THE undersigned has the honour to forward the following documents to the Supg. Engineer, VI Circle with reference to his letter No. 333 C.I. / 485, dated 3rd March 1914:—

(1) List of Imperial Irrigation works Madura Dt

(2) Sketch map showing additional tanks to be included in the list of Imperial Tanks of the Madura District

DESPATCHED
Date 10.3.14
Enclos. 2

(By Order.)

O/c [signature] 9/3/14

Assistant Chief Engineer for Irrigation.

RD.
7.3.14

To The Supg Engineer, VI Circle
[initials] 9 3/14

73

Stock Form No. 141.
4,000—15-11-11.

PUBLIC WORKS DEPARTMENT.

CURRENT No.

ENCLOSURES. Plans No.
Others No. 2

Received 191 .

Registered 191 .

T.

SPARE COPIES. Total. 2

CHIEF ENGINEER FOR IRRIGATION. 12 MAR 1914. No. 1513/14

Passed on by Registering Clerk ...
" " U. R. Clerk ...
" " Referencer ...
" " Record Superintendent.
" " Drafting Officer ...

Subject.

Lists of Imperial tanks - Requesting to be informed when the — are likely to be supplied

---

No. 366 CE

Station Trichinopoly, *Dated the* 10" March 1914.

From (Name) M.R.KHAREGAT Esquire A.M.I.C.E.,

(Designation) Superintending Engineer, VI Circle.

To The Chief Engineer for Irrigation, ~~The Secretary to the Government of~~ Madras,
Public Works Department.

Sir,

In forwarding herewith copies of the Collector's R.O.C. No.182/B and G of 14 dated 3rd March 1914 and this office No.3874 dated 1st May 1913 I have the honour to request that you will be good enough to inform me when the lists referred to therein are likely to be

supplied.

74

I have the honour to be,

Sir,

Your most obedient servant,

S. Krishnaswami [illegible]

For Superintending Engineer, 10/3

VI Circle.

[illegible] 10-3-14

75

Copy of Memorandum No. 3874/1st May 1913 from S. B. Murray Esquire, Superintending Engineer, VI Circle, Trichinopoly, to the Executive Engineer, Madura Special Division.

With reference to the Executive Engineer's No 555 dated 21st April 1913, the undersigned has the honour to inform him that the lists of Imperial tanks need not be printed locally and that they will be supplied by the Chief Engineer for Irrigation as was done in the case of the tanks of the Tinnevelly District.

S. Krishnaswami Iyer
10/3

for Superintending Engineer,
VI Circle.

10-3-14

76

Copy of letter R. O. C. No.182/B. and G. of 1914, dated 3rd March 1914, from A. R. Knapp Esquire, I.C.S., Collector of Madura, to the Superintending Engineer, VI Circle, Trichinopoly.

I have the honour to state that the Board of Revenue in its proceedings No.14 Sett. dated 15th January 1913, ordered that 3 copies of the consolidated list of irrigation works in the several Taluks of the District should be forwarded to the Board as well as to the Chief Engineer for Irrigation when such lists are printed. Extracts from the old lists of imperial irrigation works were sent to the Tahsildars for verification and return and the Tahsildar of Nilakottai was asked to prepare the list for that Taluk which was newly formed in 1910. The lists are now ready for being printed. The Executive Engineer, Madura Special Division has forwarded to this office a copy of your letter No.3874 dated 1st May 1913 in which you have stated that the lists of imperial tanks need not be printed locally and that they will be supplied by the Chief Engineer for Irrigation. I request to be informed when the printed lists are likely to be supplied.

S. Krishnaswami

for Superintending Engineer,

VI Circle.

No 1282/14 — 2 Dt 25.3.14

77

Memo

With reference to Letter No 366 CR dated 10th March 1914 of the Supdg Engr VI Circle, the Chief Engineer for Irrigation has the honour to ~~state~~ inform the SE that the list and map of minor works Part Madura District are still under revision with the Supdg Engr and that copies thereof will be printed after their receipt in this office

[illegible] 23/3/14

Page 739 c/pl

Reminder on 1-5-1914

[illegible] 25.3.14

SC NR Issue [illegible] 24/3/1914

[illegible] 24/3/14

[illegible] 24/3/14

[illegible] 21/3/14

DESPATCHED
Date 25. 3. 14
Enclos —

To
The Supdg Engr
VI Circle

NR 24/3/1914

Stock Form No. 141.
4,000—15-11-11.

PUBLIC WORKS DEPARTMENT.

78

Please see 1573/14 & 1570 to 263/14

CURRENT No.

ENCLOSURES. Plans No. 1
Others No. *

Received .... 191 .

Registered .... 191 .

C 2039/13

CHIEF ENGINEER FOR IRRIGATION. 30 MAR 1914 No. 1900/14

Passed on by Registering Clerk ...

" " U. R. Clerk ...

" " Referencer ...

" " Record Superintendent.

" " Drafting Officer ...

SPARE COPIES.

Subject.

Revised list & map of minor works P.W.D. - forwards certain information in connection with the —

No. 465.CE / 485 (6)

Station, Trichinopoly, *Dated the* 28 March 1914.

From (Name) H. R. Kharegat, Esq., A.M.I.C.E.,

(Designation) Superintending Engineer, VI Circle.

To The Chief Engineer for Irrigation, ~~The Secretary to the Government of Madras,~~ *Public Works Department.*

Sir,

With reference to the correspondence ending with your Memo.2039/13-1 dated 7th February 1914, I have the honour to submit the following reply to your Memo.No.4992 dated 12th December 1907.

Page 36 to 38 of c.f.e

Para I.- The third tank proposed to be transferred to P.W.D. belongs to Seeliampatti Anicut System and is the same as Sirukulam Tank transferred to P.W.D. in G.O.No. 52-I dated 16th January 1891 and described in page 52 of --

Suruliyar Minor Basin.

P a r a II.- Manthaikulam Anicut.-No.36 in the revised list.- The anicut is situated $1\frac{3}{4}$ miles north of Vadamadura - and $\frac{3}{4}$ of a mile south east of No.34 Thamaraipatti Village. - This anicut is also known as Pudukulam Anicut described on page 42 of the T.R.S. Descriptive Memoirs for Dindigul Minor Basin. A sketch map is herewith enclosed.

Para III.- Velvarkottai Periakulam Anicut No.40 in the revised list.-

There is no anicut across the stream but only a mud korambu.

P a r a IV.- The first part has been replied to in this office No.63-C.E., dated 13th January 1914 and no reply is required for the latter part - Vide your memo. under reference.

I have the honour to be,

Sir,

Your most obedient servant,

P. Krishnaswami

Superintending Engineer,

VI Circle.

23 3/14

FRACING
SHOWING
MANTHAIKULAM ANICUT M.No: 19/14
Imperial. No. 38.

Scale = 1" = 2 miles



38 — denotes Site of Manthaikulam anicut.

S. Ramasami Ayyar
Sub-divisional Officer
22/2/14

M. O'Brien
25.2.14
Executive Engineer
Madura Division
25/2/14

TRACING
showing
MANTHAIKULAM ANICUT
Imperial No 38.
Scale = 1" = 2 miles
M.No. 19/14
FEB 1914
FEB 1914
SUPERINTENDING ENGINEER ... CIRCLE, TRICHINOPOLY
MANTHAIKULAM
TENNAMPATTI
Pilattu
ANICUT
VARATTAUR RIVER
SOUTH INDIAN RAILWAY
VADAMADURAI
VADAMADURAI R.S.
38 — denotes Site of Manthaikulam anicut.
Executive Engineer
Madura Division

81.

Stock Form No. 141.
4,000—15-11-11.

PUBLIC WORKS DEPARTMENT.

Nov 19 1914

CURRENT No.

ENCLOSURES. Plans No. 1
Others No. 1

Received 191 .

Registered 191 .

C 2039/13

Total. 2

SPARE COPIES.

CHIEF ENGINEER FOR IRRIGATION. 4 - APR 1914 No. 2065/14

Passed on by Registering Clerk ...
" " U. R. Clerk ...
" " Referencer ...
" " Record Superintendent.
" " Drafting Officer ...

Subject.

List of Imperial Irrigation works. Madura District. Forwards a list of additional tanks to be included in the

---

No. 503. C.E
485 (6)

Station Trichinopoly, *Dated the* 2nd April ~~March~~ 1914.

From (Name) M.R.KHAREGAT Esquire A.M.I.C.E.,

(Designation) Superintending Engineer, VI Circle.

To *The Chief Engineer* ~~The Secretary~~ for Irrigation, ~~to the Government of~~ *Madras,*

Public Works Department.

Sir,

I have the honour to return herewith the enclosures received with your No. 1282/14-1 dated 10th March 1914 with reference to this office No. 465CE dated 28. 3. 14.

I have the honour to be,

Sir,

Your most obedient servant,

S. Krishnaswamy

For Superintending Engineer, 16/3
VI Circle.

Page 72 of file
SC
Page 70 of file
333CE
Dated 6/3/1914

8a
16.8.14

List of additional tanks to be included in the list of Irrigation Works Imperial in the Madura District

12 MAR 1914 484

Taluq	No	Source of Supply	Name of group or System	Name of Channel	Length of Channels M	Length of Channels Ch	Name of Tanks	Present Irrigation Acre	Present Irrigation Rev Rs.	Total of each group or System		Remarks
[illegible]mangalam	177A	Rainfed	Erappanur Punnakulam group	--	--	--	Ponnamangalam Sinna Kammoy	274 x	1448			To be specially classed
Periakulam	61B	Suruli Nadhi	Seliampatty anicut	--	--	--	Sirukulam Ettikulam	157.73 x	660	-	-	as Imperial under B
[illegible]tura	117A	Vaigai River	No anicut at head	--	--	--	Anuppanady Kammoy	29.19	208	-	-	No 149/21-4-04

x Combined ayacut with that of Peria Kammoy not possible to show it separately.

Executive Engineer
Madura

Supdg Engr

CHIEF ENGINEER FOR IRRIGATION 10 MAR 1905 No. 1489

20 8(a)

W. O.
Accomp[illegible] Receipt
No. 2065 6.12.1914

82

PUBLIC WORKS DEPARTMENT.

R.F.D.—80—(I).

CURRENT No.

ENCLOSURES. Plans No. / Others No.

Received 191

Registered 191

C/1282/14

Passed on by Registering Clerk ...

,, ,, U. R. Clerk ...

,, ,, Referencer ...

,, ,, Record Superintendent.

,, ,, Drafting Officer ...

SPARE COPIES

CHIEF ENGINEER FOR IRRIGATION. 20 APR 1914 No 2287/14

Subject.

List and map of minor works P.W.D. Madura District

Requesting that the — may be got printed as the required information called for having since been furnished

---

No. 604 CR
485.6

Station, Trichinopoly, *Dated the* 18th April 1914

From (Name) M. R. Kharegat, Esquire., A.M.I.C.E.,

(Designation) Superintending Engineer, VI Circle.

To ~~The Secretary~~ The Chief Engineer for Irrigation, to the Government of Madras, Public Works Department.

Sir,

With reference to your No.1282/14-2, dated 25th March 1914, I have the honour to inform you that replies were sent to the points raised in your Memo.4992 dated 12th December 1907 in this office No.465-C, dated 28th March 1914 and to request that the list and map already submitted to you with this office No.210-C.E., dated 30th March 1908

83

may be got printed at an early date, after making necessary corrections.

I have the honour to be,

Sir,

Your most obedient servant,

S. Krishnaswami Iyer 17/4/24

For Superintending Engineer,

VI Circle.

Ch. 17/4

OFFICE OF THE CHIEF ENGINEER FOR IRRIGATION.

Cir.Memo No.36-G.,dated 3rd October 1894.

From the S.E.VI Circle,No.137 T.C.,dated 27-1-1896

To	,,	No. 2 M.D.,dated 25-1-1901
To	,,	No. 34 M.D.,dated 27-6-1901
To	,,	No. 63 M.D.,dated 14-11-1901
To	,,	No. 54 M.D.,dated26-5-1902
From	,,	No. 1 C.E.,dated 3-1-1905
From	,,	No. 189 C.E.,dated 9-3-1905
To	,,	No. 1963 dated 23-6-1905
From	,,	No. 210 C.E., dated 30-3-1906
From	,,	No. 372 C.E.,dated 6-7-1907
To	,,	No.4992 dated 12-12-1907
To the Board of Rev:		No. 193 dated 11-1-1908
From the Bd: of Rev		No. 720 Mis dated 11-2-1908
To the S.E. VI Circle		R.O.C.No.1870/1910 dated 24-5-1912
From	,,	No. 63 C.E., dated 13-1-1914
To	,,	No. 2039/13-1 dated 7-2-1914
From	,,	No.333 C.E.,dated 3-3-1914
To	,,	No.1282/14-1 dated 9-3-1914
From	,,	No. 366 C.E.,dated 10-3-1914
To	,,	No.1282/14-2 dated 25-3-1914.
From	,,	No. 465 C.E.,dated 28-3-1914
From	,,	No. 503 C.E.,dated 2-4-1914
From	,,	No. 604 C.E.,dated 18-4-1914.

Note by the Chief Engineer

for Irrigation.

No. 2039/13 d 15.6.14

In accordance with Circular Memo

No.

85

2

Page 10 of pl.
pp15 to 17 of cf.
Page 18, 19 of cf.

1. Ponnamangalam Sinna Kanmoy
2. Sirukulam Ottukulam
3. Anuppanady Kanmoy.

Flag G!

Pages 21 to 23 of cf.

No.36-G., dated 3rd October 1894, the S.E., VI Circle, submitted a revised list and map of Minor works, P.W.D., Madura District. In his No. 189 C.E., dated 9th March 1905, the S.E., proposed the transfer of the marginally noted 3 tanks to the P.W.D. with reference to the Memo of this office No. 1341 dated 16th April 1904 printed in G.O., No. 1362-I., dated 8th December 1904. As there were a few descrepancies between the list and the map and as it appeared also that some of the Periyar-affected works had been included in them, the S.E., was asked to revise and resubmit the list and map including the 3 tanks referred to above, and to report whether the Theukarai and Nilagyer channels and the tanks fed by the ~~Theukarai and Nilagyer~~ and the Periyar-affected channels and the tanks connected with them in the Periyakulam taluk whose revenue it was thought ~~to be~~ was credited to the Periyar system should not

W. 310 I 7
30-6-14

not be eliminated from the list and map. The S.E., in reply, reported that -- except the Thenkarai channel and the tank fed by it, the other channels referred to could not be classed as Periyar-affected as their revenue was not -- credited to the system, and he resubmitted the list and map duly revised including the 3 tanks mentioned above and omitting the Thenkarai channel and Thenkarai tank.

2. It was subsequently ascertained from the Board of Revenue that the - Thenkarai channel and the tank fed by it (Thenkarai) and the - channels and tanks fed by the Suruliar in Periyakulam taluk had been classed as Periyar-affected and the increased revenue derived therefrom was credited to the Periyar system with reference to the letter of the Chief Engr for Irrigation No. 58-M dated 11-2-1897. The S.E., was then asked to submit in consultation with the Collector of the District a list of all the channels and

the tanks

remarks on para 7 on Page 29 of c.f.

Pages 39 to 45 of c.f.

Flag C

310 D

Pages 36+37 of c.f.

tanks fed by them in the Suruliyar valley in Periyakulam taluk which should be classed as Periyar-affected. He now submits a list of the channels and tanks in Periyakulam taluk which are benefited by the flow of Periyar water in the Suruliyar.

3. The list and map have been checked and the following remarks are made :-

(1) No.67. Sirukulam tank in Periyakulam taluk. The S.E., reports that this is the same tank as that whose transfer to the P.W.D. was sanctioned in G.O., No.52-I., dated 16th Feb 1891. The tank has been included in the list as No.67 Serukulam tank. No action is therefore necessary.

(2) It is reported that the Manthaikulam anicut in Dindigul taluk (No 36 in the list) [illegible], is the anicut across the Varattar 1½ mile north of Vadamadurai Station. As this anicut as described on pages 42 & 43 of Dindigul [illegible] basin [illegible] has an ayacut of only 13 acres, it appears probable that the work --

Page 64 to 67 of file

Page 78 of cf

Item No 61A on page 2 of

Page 79 of cf

both put up below

intended to be included in the list and map of Minor works P.W.D. is the -- described on page 40 of the D. Memoirs of Dindigul minor basin as Manthaikulam tank having an ayacut of 183 acres and not the "Manthaikulam anicut" which has an ayacut of only 13 acres. The S.E. will be asked to report on this point. Pending his report, the anicut may be eliminated from the list & map.

Vide page 40 & 41 of D Memoirs of Dindigul minor basin printed below

(3) Velvarkottai Periyakulam anicut.

It is reported that there is no anicut but only a mud Koramboo across the Kallaar. The word "anicut" may be struck out and the work retained in the list as Velvarkottai Periakulam tank.

Page 79 of [illegible]

x No. 40 in the list

4. The list and map contain -- 176 works including the Manthaikulam anicut referred to above and the 25 works in Periyakulam taluk ~~affected by~~ reported by the S.E. to have been benefitted by the the Periyar system as shown in the appended statement. These 25 works will be eliminated from the list and also the Manthai Kulam anicut map thereby reducing the number of minor works ~~in the list~~ to 150. ~~As~~ thus revised

~~revised~~, The list and map as finalised above are submitted

for the approval of Government.

Kly 15/6/14

WH 25/6/14

To

The Joint Secy to Govt

with the C.F.

7

List of tanks and channels in Periyakulam taluk

affected by the Periyar system included in the list of Minor Works PWD and now proposed to be eliminated therefrom

no in the SE's list

50. Thamaraikolam and Seroakulam

51. Ottukulam

52. Cumbam chinna voikal

53. Veerappanaiken Kulam

54. Uthamat anicut and channel

55. Kuppusetti Kulam

56. Palaya-mparavoo voikal

57. Kalineerkulam

58. Karukottankulam

59. Thamaraikulam

60. Chinamanoor Chinna voikal

61. -do- Periya voikal

62. Chinnamanur Odai kulam

63. -do- Senkulam

64. Mankainkottai anicut and channel

65. Sundakka Kulam tank

66. Seliampatty anicut and channel

67. Sirukulam tank

68. Kottur anicut and channel

69. Naranasamudram tank

70. Upparapatty anicut channel

71. Senkulam tank

72. Veerapandy anicut Periya Voikal

73. Vengalpattykulam tank

74. Chatrapatty anicut.

Note. Besides the above there are 3 tanks fed by No 57 Cumbum Chinna Vaikal (1) Periyakulam, (2) Ottayankulam (3) Ottukulam which have not been included in the list

32

PUBLIC WORKS DEPARTMENT,

IRRIGATION BRANCH.

(Not required)

Tabling Abstract.

Minor works, P.W.D. Madura Dt, -- Approving the list and map of ---------- as finally revised and submitted by the Chief Engineer for Irrigation.

Cross References.

Irrigation Works

Maps and Plans

Read the following :—

Note by the Chief-Engineer for Irrigation dated 23-6-14.
No. 2039/13. d 15.6.14

Circulated to

Press ORDER—No. 310 J, dated 30. 6. 14.

The revised list and map of Minor Works, P.W.D., Madura District, submitted by the Chief Engineer for Irrigation, with his note read above, are approved.

2. The Chief Engineer will arrange to have copies thereof printed and distributed to the officers concerned.

3. The attention of the S.E., VI Circle

Circle will be drawn to para 3 (2) of the note by the Chief Engineer for Irrigation.

Print under also

To

The Chief Engr for Irrign with list and map.
" S.E., VI Circle.
" Accountant General
" Board of Rev (Rev.Sett)
Copy to the Revenue Dept.

DESPATCHED.
1 JUL 1914

PUBLIC WORKS DEPARTMENT.

From	To:
Thiru J.E. VAZ, B.E.,M.I.E., M.I.A.E., Chief Engineer (Irrigation), Chepauk, MADRAS.5.	The Secretary to Government, Public Works Department, Fort St. George, MADRAS.9.

-s-s-s-s-s-s-s-s-s-s-s-s-s-s-s-s-s-s-s-s-s-s-s-s-s-s-s-s-s-s-s-s-s-s-s-s-s-s-s-s-

Letter No.H3/20979/67-2 dated 9.8.1967.

Sir:

Sub: Tamaraikulam Tank - Madurai District - Revised list of Minor Irrigation works, Public Works Department - Corrections - Approved -

Ref: Proc. No.H3/20979/67-1 dated 9.8.67.

I enclose a copy of the Proceedings No.H3/20979/67-1 dated 9.8.67 for information.

Receipt of the same may be acknowledged.

Enc:Copy of the Proc. for CHIEF ENGINEER(IRRIGATION).

OFFICE OF THE CHIEF ENGINEER(IRRIGATION), CHEPAUK, MADRAS.5.

Proceedings No.H3/20979/67-1 dated 9.8.1967.

Sub: Tamaraikulam Tank - Madurai District - Revised list of Minor Irrigation Works Public Works Department Corrections - Approved -

Ref: From the Superintending Engineer, Tiruchi Circle, No. DW/6048/66-8 dated 3.8.67.

The Chief Engineer (Irrigation) approves the corrections as in the statement enclosed to the revised list of Minor Irrigation works, Public Works Department, Madurai District, approved in G.O. No. 310, I dated 30.6.1914.

J.E. VAZ,
CHIEF ENGINEER (IRRIGATION).

TO:
The Superintending Engineer, Tiruchi Circle.
Encl 1 Statement.

(True copy)

~~Superintendent~~

[illegible]
2/8

3

OFFICE OF THE CHIEF ENGINEER(IRRIGATION), CHEPAUK, MADRAS.5.

Proceedings No.H2/20978/67-1 dated 9.8.1967.

Sub: Tamaraikulam Tank - Madurai District - Revised list of Minor Irrigation Works Public Works Department Corrections - Approved -

Ref: From the Superintending Engineer, Tiruchi Circle, No. DB/6046/66-8 dated 3.6.67.

The Chief Engineer (Irrigation) approves the corrections as in the statement enclosed to the revised list of Minor Irrigation works, Public Works Department, Madurai District, approved in G.O. No. 310, I dated 30.6.1914.

J.N. Vaz,
CHIEF ENGINEER (IRRIGATION).

TO:
The Superintending Engineer, Tiruchi Circle.
Encl: 1 Statement.

(True copy)

~~Superintendent~~

NF
11/8